



Flood Risk Assessment - Level I Screening Study

at
260 Coombe Lane, West Wimbledon, London SW20 0RW

for
Ghlenn Perry Capuyan

Reference: 21173/FRA_Rev1.0
January 2024

Control Document

Project

260 Coombe Lane, West Wimbledon, London SW20 0RW

Document Type

Flood Risk Assessment - Level 1 Screening Study

Document Reference

21173/FRA_Rev1.0

Status

Final

Date

January 2024

Prepared by

S J Bevins BSc.(Hons) MSc. CEng CEnv MIMMM FGS MCorIE RoGEP

sb@soilslimited.co.uk



First check by

N J Lambert BSc (Hons), CSci, CEnv, FGS, MIEEnvSci.



Second check by

Eur Ing R B Higginson BSc, PGDip, CEng, MICE, FGS.



This is not a valid document for use in the design of the project unless it is titled Final in the document status box.

Current regulations and good practice were used in the preparation of this report. The recommendations given in this report must be reviewed by an appropriately qualified person at the time of preparation of the scheme design to ensure that any recommendations given remain valid in light of changes in regulation and practice, or additional information obtained regarding the site.



Commission

This report comprises a Flood Risk Assessment (FRA) Level 1 Screening Study at 260 Coombe Lane, West Wimbledon, London SW20 0RW.

Commission Record

Client:	Ghlenn Perry Capuyan
Site Name:	260 Coombe Lane, West Wimbledon, London SW20 0RW
Grid Reference:	TQ 22309 69640
Soils Limited Quotation Ref:	Q28180 Rev.2 dated 13 th October 2023.
Clients Signed Order Form:	Q28180 Rev.2 dated 17 th October 2023.

The record of revision to this document is presented below:

Record Of Revisions

Revision	Date	Reason
1.0	January 2024	Original

Note(s): The latest revised document supersedes all previous revisions of the GIR produced by Soils Limited.

Documents associated with this development that must be referred to are given below.

Record Of Associated Documents

Reference	Type	Date	Creator
21173/BIA	Basement Impact Assessment	December 2023	Soils Limited
21173/SDS	SuDS Report	January 2024	Soils Limited

Caveats, Limitations and Disclaimers

Whilst reasonable skill and care has been taken to prepare this report within the time and other constraints applied by the project, it should be appreciated that uncertainties may occur owing to factors including return period of events, seasonal fluctuations in groundwater level and inherent uncertainty of the effect of climate change.

Without a drainage survey it is not possible to establish if the surface water drainage is to the main drainage system or soakaways. If there are soakaways on-site, they could act as a potential source. The geology on-site to an extent may determine if soakaways were likely to have been adopted.

This Report relates to the site located at 260 Coombe Lane, West Wimbledon, London SW20 0RW and was prepared for the sole benefit of Glenn Perry Capuyan (The "Client") for the brief described in the Commission of this report.

The contents, recommendations and advice given in the report are subject to the Terms and Conditions given in Quotation Q28180 Rev.2 dated 13th October 2023 and accepted by the Client.

Soils Limited disclaims any responsibility to the Client and others in respect of any matters outside the scope of the above.

This report has been prepared by Soils Limited, with all reasonable skill, care and diligence within the terms of the contract with the Client, incorporation of our General Conditions of Contract of Business and considering the resources devoted to us by agreement with the Client.

The report is personal and confidential to the Client and Soils Limited accept no responsibility of whatever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies on the report wholly at its own risk.

The Client may not assign the benefit of the report or any part to any third party without the written consent of Soils Limited.

This report does not purport to provide definitive legal advice, nor can it be used to demonstrate that the site will never be subject to flood events in the future.

Current regulations and good practice were used in the preparation of this report. An appropriately qualified person must review the recommendations given in this report at the time of preparation of the scheme design to ensure that any recommendations given remain valid considering changes in regulation and practice, or additional information obtained regarding the site.

Ordinary watercourses (OWs) are defined as rivers (which are not designated as main rivers), streams, ditches, drains, culverts, cuts and sewers (other than public sewers). This includes all OWs that are not mapped. Ordinary watercourse consent (OWC) is required from the Lead Local Flood Authority (LLFA) when changing/adapting/adding to the cross sections of OWs. Installations of any structure or obstruction into an OW that

impedes the flow without consent is prohibited by the Land Drainage Act 1991 Section 23.

Failure to remove obstructions may result in legal action by the LLFA with powers under Section 25 of the Land Drainage Act 1991.

Soils Limited suggest surveying the site for OW usually seen in rural areas as boundary ditches to avoid potential impacts to residents downstream and prosecution. OWC can be applied for from the LLFA.

Ownership of copyright of all printed material including reports, survey data, drawings, laboratory test results, trial pit and borehole log sheets, including drillers log sheets remains with Soils Limited. License is for the sole use of the client and may not be assigned, transferred or given to a third party. This license is only valid once we have been paid in full for this engagement. In the event of non-payment for our services, we reserve the right to retract the license for all project data, preventing their use and any reliance upon such data by the client or any other third party. We may also contact parties other than the client to notify them of this retraction.

Contents

- Section 1 General 1
- 1.1 Scope 1
- Section 2 Introduction and Regulatory Background.....2
- 2.1 Introduction 2
- 2.2 Regulatory Background 2
- 2.3 National Planning Policy 2
- 2.4 Local Policy..... 3
- 2.5 Additional Report Information Sources 4
- Section 3 Site Details and Background Information5
- 3.1 Site Details..... 5
- 3.2 Proposed Development 5
- 3.3 Anticipated Geology..... 5
- 3.3.1 Kempton Park Gravel Member..... 5
- 3.3.2 London Clay Formation..... 5
- 3.4 Hydrogeology..... 6
- 3.5 Hydrology..... 6
- Section 4 Flood Risk7
- 4.1 Introduction 7
- 4.2 Flood Maps 7
- 4.3 Surface Water Flooding 8
- 4.4 Groundwater Flooding 8
- 4.6 Local Infrastructure and Flood Defences 9
- 4.7 Historic Flooding 10
- 4.8 Climate Change 10
- 4.9 Off-Site Impact..... 11
- Section 5 Site Drainage Strategy 12
- 5.1 Wastewater Drainage Strategy 12
- 5.2 Surface Water Drainage 12
- Section 6 Conclusions and Residual Risk..... 14
- 6.1 Scoping Summary 14

List of Figures

- Figure 1 – EA Flood Map for Planning 7

Figure 2 – Site Location Map 16
Figure 3 – Site Plan 17

List of Tables

Table 2.1 Flood Zones Definitions..... 3
Table 4.2 Peak Rainfall Allowances London Management Catchment 10
Table 4.3 Peak Flow Allowances Thames..... 10

List of Appendices

- Appendix A Landmark Flood Screening Report
- Appendix B Proposed Development Plans

Section I**General****I.1 Scope**

This Flood Risk Assessment (FRA) Level 1 Screening Study provides an overview of the potential risks of flooding on a site known as 260 Coombe Lane, West Wimbledon, London SW20 0RW and the risks that the development of the site poses to surrounding areas. Given the nature of this assessment and the timeframe for delivery, the EA could not be consulted as part of the works. This would be required as part of a Level 2 FRA.

The assessment follows the principles of National Planning Policy Framework as updated and revised in 2021. This assessment highlights the potential flood risk posed to and by the site, and recommends likely further action required.

The report provides the following information:

1. An assessment of the flood risk posed to the site based on flood information and mapping provided by the EA and local Strategic Flood Risk Assessment (SFRA).

The Flood Risk Assessment is a live document to be updated as additional information becomes available and the evolving detailed design progresses.

Section 2 Introduction and Regulatory Background

2.1 Introduction

Ghlena Perry Capuyan commissioned Soils Limited in October 2023 to undertake a Flood Risk Assessment (FRA) for the proposed development at 260 Coombe Lane, West Wimbledon, London SW20 0RW, referred to as 'the site' in this report.

This report has been prepared for Ghlena Perry Capuyan and must not be relied upon by any other party without the explicit written permission of Soils Limited.

All parties to this report do not intend any of the terms of the Contracts (Right of Third Parties Act 1999) to apply to this report.

Please note this report does not purport to provide definitive legal advice nor can it be used to demonstrate that the site will never be subject to flood events in the future.

All rights reserved. No part of this report may be copied, edited, transmitted, reproduced, hired, lent, sold or disclosed without the prior written consent of Soils Limited. Any action taken or omitted to be taken in reliance upon the content of this report is not permitted and may be unlawful. Copyright © Soils Limited 2023.

2.2 Regulatory Background

This FRA has been carried out in accordance with the 2021 National Planning Policy Framework (NPPF), elements of Planning Policy Statement (PPS) 25 Appendix B of the PPS25 Development and Flood Risk-Practice Guide (withdrawn), Planning Practice Guidance and Flood risk and coastal change (<https://www.gov.uk/guidance/flood-risk-and-coastal-change>, accessed December 2023). It is to be used to assist the Local Planning Authority (LPA) and Environment Agency (EA) when considering the flooding issues of the proposed development as part of a planning application.

This FRA considers the impact of the proposed development in addition to the common ways in which flooding can occur. The conditions currently existing in the location of the site are described, together with the methods used to identify and assess potential impacts caused from the development proposals.

The EA has produced guidance notes for different development scenarios, based on the size of the development and the location of the site. This assessment has been produced in accordance with; "Preparing a flood risk assessment: standing advice" <https://www.gov.uk/guidance/flood-risk-assessment-standing-advice> accessed 13/12/2023.

2.3 National Planning Policy

The NPPF was revised and updated in July 2021. The 2019 version superseded all Planning Policy Statements (PPS's) and remaining Planning Policy Guidance (PPG's). However, Flood Risk is retained as a key development consideration and is incorporated

within Section 14: “Meeting the challenge of climate change, flooding and coastal change”: In essence inappropriate development in areas at risk of flooding should be avoided by directing development away from areas at highest risk, but where development is necessary, making it safe without increasing flood risk elsewhere.

The Sequential and Exception Tests are retained as part of the NPPF to assist with flood risk vulnerability classifications and development suitability.

The definition for each flood zone designation is presented in Table 2.1.

Table 2.1 Flood Zones Definitions

Flood Zone	Definition
Zone 1 Low Probability	Land having a less than 0.1% annual probability of river or sea flooding.
Zone 2 Medium Probability	Land having between a 1% and 0.1% annual probability of river flooding; or land having between a 0.5% and 0.1% annual probability of sea flooding.
Zone 3a High Probability	Land having a 1% or greater annual probability of river flooding; or Land having a 0.5% or greater annual probability of sea.
Zone 3b High Probability	This zone comprises land where water must flow or be stored in times of flood. Local planning authorities should identify in their Strategic Flood Risk Assessments areas of functional floodplain and its boundaries accordingly, in agreement with the Environment Agency. (Not separately distinguished from Zone 3a on the Flood Map)

A sequential, risk-based approach should be adopted, taking account of all sources of flood risk, including current and future impacts of climate change. The aim of the sequential test is to steer new development to areas of lowest risk of flooding from any source. Where it is not possible to locate the development in areas of lower risk of flooding, the exception test is undertaken.

2.4 Local Policy

Local planning practice guidance considers flood risk through relevant environmental and climate change policies, which enforce the requirements of the NPPF as noted above including site specific documentation produced in compliance with planning.

The documents noted and referenced below were accessed online from the London Borough of Merton council’s website: [Flooding and rivers : Strategic Flood Risk Assessment | Merton Council](#).

The site lies within the boundaries of the London Borough of Merton. In the production of this report the following reference documents have been reviewed and considered.

1. Level 1 Strategic Flood Risk Assessment (SFRA L1) (November 2020)
2. Level 2 Strategic Flood Risk Assessment (SFRA L2) (February 2021)

These documents expand on the basic information contained within the Environment Agency Flood Maps, providing a more detailed review of flood risks and local recommendations for ensuring developments can be constructed and operated safely in

accordance with NPPF and Environment Agency requirements as well as certain specialist developments which have been separately assessed.

2.5 Additional Report Information Sources

In addition to the above noted documents the following additional information sources have been accessed:

1. Envirocheck Flood Screening Report (Appendix A) Ordered December 2023
2. British Geological Survey Website (accessed December 2023).
3. Flood risk assessments: climate change allowances (<https://www.gov.uk/guidance/flood-risk-assessments-climate-change-allowances#types-of-allowances>) (accessed December 2023).
4. Google Earth™ (accessed December 2023).
5. [Magic Map Application \(defra.gov.uk\)](https://defra.gov.uk) (accessed December 2023).
6. [London Borough of Merton Strategic Flood Risk Assessment \(SFRA\) \(arcgis.com\)](https://arcgis.com) (accessed December 2023).

Section 3 Site Details and Background Information

3.1 Site Details

The site has not been visited for purposes of this report by Soils Limited but at the time of reporting comprised a roughly rectangular plot including a single-storey residential property along the western site boundary, separate garage to the east, driveway leading southeast and gardens to the front and rear. The main access point was in the southeast of the site. The site was located at or around TQ 22309 69640.

Figure 2 details the site location and Figure 3 the existing block plan, as provided by the Client.

3.2 Proposed Development

It is understood the proposal includes the demolition of the existing bungalow and the construction of a two-storey detached residential property with accommodation in the loft space and full basement across the site footprint. The building comprises six flats, private gardens to the rear (to flats 1 & 3), parking, access and amenities to the front, and a green roof with solar panels.

In compiling this report reliance was placed on pre-application drawings A-01 to A-14, dated 6th September 2023, provided by Ghlen Perry Capuyan. The recommendations provided within this report are made exclusively in relation to the scheme outlined above and must not be applied to any other scheme without further consultation with Soils Limited. Soils Limited must be notified about any change or deviation from the scheme outlined.

3.3 Anticipated Geology

The 1:50,000 BGS map showed the site to be located on the Kempton Park Gravel Member over bedrock of the London Clay Formation.

3.3.1 Kempton Park Gravel Member

The rivers of the south-east of England, including the River Thames and its tributaries, have been subject to at least three changes of level since Pleistocene times. One result has been the formation of a complex series of River Terrace Gravels. These terraces represent ancient floodplain deposits that became isolated as the river cut downwards to lower levels. The Kempton Park Gravel is found at an elevation below the current river level.

The composition of the Kempton Park Gravel varies greatly, depending on the source material available in the river's catchment. Deposits generally consist of sands and gravels of roughly bedded flint or chert gravels commonly in a matrix of silts and clays.

3.3.2 London Clay Formation

The London Clay Formation comprises stiff grey fissured clay, weathering to brown near surface. Concretions of argillaceous limestone in nodular form (Claystones) occur

throughout the formation. Crystals of gypsum (Selenite) are often found within the weathered part of the London Clay, and precautions against sulphate attack to concrete are sometimes required.

The upper boundary member of the London Clay Formation is known as the Claygate Member and marks the transition between the deep water, predominantly clay environment and succeeding shallow-water, sand environment of the Bagshot Formation.

The lower boundary is generally marked by a thin bed of well-rounded flint gravel and/or a glauconitic horizon. The formation overlies the Harwich Formation or where the Harwich Formation is absent the Lambeth Group.

3.4 Hydrogeology

Information presented by the Environment Agency classifies the Kempton Park Gravel Member as a Secondary A Aquifer and bedrock London Clay Formation as an Unproductive Strata. It would be anticipated that groundwater will therefore be present within and flow through the superficial Kempton Park Gravel Member but is unlikely to be present in significant quantities in the underlying London Clay Formation.

3.5 Hydrology

The nearest surface water course is located 6m east of the site, an unnamed inland river. It runs approximately north to south along the site's eastern boundary before being culverted beneath the A238 Coombe Lane. The Beverley Brook, a tributary of the River Thames, is located approximately 368m west of the site.

Section 4


Flood Risk

4.1 Introduction

The risk of flooding to the site is discussed in the following sections. In assessing the potential risk from flooding plans included in the Landmark Envirocheck Flood Screening Report (FSR, Appendix A) have been reviewed in concert with the available data from the Local Authority. The Merton Council SFRA confirms many of the points noted in the FSR which will be referenced where relevant in the following sections.

The EA Flood Map for Planning shown in Figure 1 indicates that the site is in Flood Zone 1, and there are no Flood Zone 2 or 3 noted in the vicinity. The nearest higher risk Flood Zone is located greater than 250m west and is associated with Beverley Brook.

Figure 1 – EA Flood Map for Planning



© Environment Agency copyright and / or database rights 2022. All rights reserved. © Crown Copyright and database right 2022. Ordnance Survey licence number 100024198.

4.2 Flood Maps

The Environment Agency/Natural Resources Wales (EA/NRW/CEH) flood data provided as part of the Envirocheck FSR data identifies the following:

- The site is in an area that is not impacted by flooding or extreme flooding from Rivers or Sea without Defences.
- There are no areas on or surrounding the site that are shown to benefit from flood defence.

- The site and surrounding area to 250m from the site boundaries do not contain any flood defences or any flood water storage areas.
- The site does not constitute a 'dry island' and the exit leads directly to the public highway within a Flood Zone 1.

The Merton Council SFRA concurs with the above findings, noting the site to be in a Flood Zone 1 (outside of the 1 in 100year / 1% AEP floodplain), very low risk of flooding from rivers or the sea, and that the nearest areas at higher risk are around Beverley Brook to the west.

4.3 Surface Water Flooding

Intense rainfall, often of short duration, that is unable to soak into the ground or enter drainage systems, can run quickly off land and result in local pluvial flooding. Increased run-off from developed areas consisting of impermeable surfaces can also increase overland flows. If the flow paths of these overland flows are not carefully considered during detailed design and planning of the drainage and building design, they may become an additional potential source of flooding.

The EA/NRW surface water mapping sourced from the Envirocheck FSR identifies the following:

- The 30-year, 100-year and 1000-year return depth maps all indicated that the site is not at direct risk from surface water flooding, although the surrounding area in most directions was.
- The 1000 Year Return Velocity and Flow Direction Map recorded flow rates up to 2.00m/s in adjacent areas, particularly on Coombe Lane to the southwest.
- Flows in surrounding areas are generally away from, or parallel to, the site, not towards it.
- The Historic Flood Map does not record any historical events on site or within 250m of it. The nearest event is noted 336m to the west associated with Beverley Brook.

The Merton Council SFRA online mapping ([London Borough of Merton Strategic Flood Risk Assessment \(SFRA\) \(arcgis.com\)](#)) indicates that the site is in a critical drainage area with regard to surface water (pluvial) flooding. It also records the risk of flooding from surface water extent is as high as 3.3% (1 in 30), on the north-eastern side of the site, reducing to the south and west.

4.4 Groundwater Flooding

Groundwater flooding can occur when water levels in the ground rise above surface elevations. Severe storm events or prolonged rainfall could cause groundwater levels to rise above ground level. Underlying geology is the principal factor that affects groundwater flooding. Groundwater flooding most commonly occurs in low-lying areas that are underlain by permeable rocks and/or aquifers, potentially more likely where underlain by impermeable strata limiting storage capacity.

- The BGS groundwater flooding susceptibility map records a potential for groundwater flooding to occur on site.
- The GeoSmart Information Groundwater Flood Map (1:50,000) indicated a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.

The Merton Council SFRA online mapping indicates that the site is in an area where there is an 'increased potential for elevated groundwater'. Areas at risk of groundwater flooding predominantly lie within the floodplain of the Thames where it is underlain by the Thames Gravels. The water table in the superficial deposits reflect river levels, therefore the risk of groundwater flooding generally occurs when there is also a risk of flooding from the Thames. On that basis the risk of groundwater flooding on site is low.

Combined Pluvial, Fluvial and Groundwater Flood Risk from BGS/EA/CEH data is therefore calculated as **Low** overall with even a 1000-year event not impacting the site. However, it may become affected by secondary effects during extreme local flood and rainfall events, as indicated by the potential for pluvial flooding on site.

4.5 JBA Risk Management Limited Data

This information is provided in the Comprehensive Flood Map (CFM) data from JBA Risk Management Limited, as part of the Envirocheck FRS. The data is based upon the likelihood of a flood occurrence for flood return periods of 75 years, 100 years, 200 years and 1000 years (all undefended). For each return period the following three sources of flooding are identified: Pluvial, fluvial and coastal flooding, the latter not being relevant to this site. The data indicates:

- The site is not at risk of Fluvial flooding across the 75-year, 100-year and 200-year return periods.
- The site is at risk of Fluvial flooding of up to 0.3m depth across the 1000-year return period.
- The site is at risk of Pluvial flooding of up to 0.3m depth across the 75-year, 200-year and 1000-year return periods (100-year return is not mapped for Pluvial flooding).

The site has also been mapped for risk of flooding from canal or aqueduct failure, and for dam or reservoir embankment failure or breach, with no records given within 1km of the site.

4.6 Local Infrastructure and Flood Defences

Flooding from reservoirs is unlikely in this area according to EA data provided ([Your long term flood risk assessment - GOV.UK \(check-long-term-flood-risk.service.gov.uk\)](https://www.gov.uk/check-long-term-flood-risk)).

No flood defences or areas noted to benefit from flood defences are recorded within 1km of the site, according to the EA/NRW/CEH flood data provided as part of the Envirocheck FSR.

The Merton Council SFRA online mapping indicates various areas of flood risk management along Beverley Brook to the west of the site, including flood warning areas and flood alert areas.

4.7 Historic Flooding

The datasheet provided as part of the Envirocheck FRS does not record any Historic Flood events on or within 250m of the site. The nearest are associated with Beverly Brook, at least 336m away west of the site.

The Merton Council SFRA online mapping records various historic flood incidents in the vicinity of the site, generally recording the type of flooding (if known) and the date of occurrence. The nearest event to site is recorded just south of the junction of Coombe Lane and Cambridge Road, estimated to be 35m southeast of the site. The cause of flooding was surface water, and the incident was dated 26th August 2011.

4.8 Climate Change

The climate change allowances are predictions of anticipated change for:

- peak river flow by river basin district
- peak rainfall intensity
- sea level rise
- offshore wind speed and extreme wave height

DEFRA data sourced from [Climate change allowances for peak river flow in England \(data.gov.uk\)](https://data.gov.uk) provides the following:

Table 4.1 Peak Rainfall Allowances London Management Catchment

River Basin District	Allowance Category	Peak Rainfall Allowances (annual exceedance rainfall event)			
		3.3%		1.0%	
		2050's	2070's	2050's	2070's
Thames	Central	20%	20%	20%	25%
	Upper	35%	35%	40%	40%

EA guidance Flood Risk Assessments – Climate Change Allowance

<https://www.gov.uk/guidance/flood-risk-assessments-climate-change-allowances>

Updated May 2022. Accessed December 2023 notes the following data.

Table 4.2 Peak Flow Allowances Thames

River Basin District	Allowance Category	Thames Peak Catchment Allowances		
		2020's	2050's	2080's
Thames	Central	10%	7%	17%
	Higher	14%	14%	27%
	Upper	26%	30%	54%

The effects of climate change must be considered in the design of flood risk mitigation and drainage schemes for the proposed development.

4.9 Off-Site Impact

Whilst the potential for an on-site incident is considered low and will be limited to pluvial flooding. It is anticipated that in such an event, flooding would probably be limited, and flood waters should flow away from the site to the northeast. This is also the direction of increasing flood risk and as such off-site impact is considered likely to be low though it may have secondary or additive influences on the adjacent flood risk in this direction.

As the development will be designed in accordance with current guidance for surface water management as noted in several of the more recent references above, it is likely to provide a betterment over the existing situation and should reduce the potential risk from Pluvial and Fluvial events.

Section 5 Site Drainage Strategy

5.1 Wastewater Drainage Strategy

A Wastewater Drainage Strategy comprising a gravity flow sewer should take wastewater to a local sewer, provided one is available and has adequate capacity. This will require agreement with the local service provider and is beyond the scope of this report. However, as the works comprise the replacement of an existing residential property, the existing wastewater drainage connection should be available to be utilised.

5.2 Surface Water Drainage

One of the overarching and core planning principles in the NPPF is to encourage sustainable development, taking into account all sources of flood risk, and the impacts of climate change. This is re-iterated in the Merton SFRA.

NPPF paragraph 169 states:

Major developments should incorporate sustainable drainage systems unless there is clear evidence that this would be inappropriate. The systems used should:

- a) take account of advice from the lead local flood authority;
- b) have appropriate proposed minimum operational standards;
- c) have maintenance arrangements in place to ensure an acceptable standard of operation for the lifetime of the development; and
- d) where possible, provide multifunctional benefits.

A major development is currently classified by the Town and Country Planning Order (2015) as being the of one of the following.

- A site involving mining or processing mineral materials
- Waste or sewage collection or processing facilities
- Housing developments with more than 10 intended dwellings
- Housing developments larger than 0.5 hectares, if the number of intended dwellings is not known
- Any site where the total floor space created by the development is 1000 square metres or more
- Any site with a total area of 1 hectare or more, regardless of the number or type of buildings

The overall site area is 0.06Ha, so the site is not considered a major development based on the above criteria, and as such the adoption of SuDS on site is not mandatory. It is understood that despite this, a drainage strategy will be prepared for the site. Reference should be made to the following document [Flooding and rivers : Sustainable drainage in planning applications | Merton Council](#) for further guidance, if required.

A site investigation undertaken at the site by Soils Limited (Report ref: 21173/BIA) has established Kempton Park Gravel Member overlying the London Clay Formation classified as Secondary A Aquifer and Unproductive Strata, respectively.

The Kempton Park Gravel Member comprised predominately CLAY soils to depths of between 1.40m and 1.85m before becoming gravelly SAND to depths of between 3.50m and 3.60m bgl. This is underlain by silty CLAY of the London Clay Formation.

Groundwater was recorded at depths of 1.26m and 1.36m bgl during a single monitoring visit.

A single infiltration test was conducted as part of the investigation at a depth of 1.50m bgl, within the very sandy CLAY soils of the Kempton Park Gravel Member. The test was carried out in accordance with BRE DG365 for a period of 6 hours, over which no fall in head was recorded.

Given the lack of infiltration observed and the high groundwater noted, albeit only from a single monitoring visit, drainage directly to ground is unlikely to be practical on the site. If SuDS are adopted, they would need to be designed accordingly, such as utilising local storage of surface waters from hardstanding during extreme events prior to discharge to local drainage water systems.

Section 6 Conclusions and Residual Risk

6.1 Scoping Summary

This Flood Risk Assessment - Level 1 Screening Study has been undertaken in accordance with National Planning Policy Framework and the Technical Guidance to the NPPF following the principles outlined in the Flood Risk and Coastal Change guidance, Site Specific Flood Risk Assessment checklist.

The FRA Level 1 Scoping has established the following:

1. The site is located within Flood Zone 1, with low risk of fluvial flooding.
2. The JBA Risk Management Limited Data indicated that the site is at risk of Fluvial flooding of up to 0.3m depth across the 1000-year return period (0.1 AEP).
3. The EA/NRW surface water mapping shows the 30-year, 100-year and 1000-year return depth maps all indicated that the site is not at direct risk from pluvial flooding.
4. The JBA Risk Management Limited Data indicated that the site is at risk of Pluvial flooding of up to 0.3m depth across the 75-year, 200-year and 1000-year return periods.
5. The Merton Council SFRA online mapping indicates that the site is in a critical drainage area for pluvial flooding. It also records the risk of flooding from surface water extent is as high as 3.3% (1 in 30), on the north-eastern side of the site.
6. The site is situated in area where the BGS records a potential for groundwater flooding to occur. The information supplied by GEOSmart indicated a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence. The SFRA indicates that the site in an area where there is an 'increased potential for elevated groundwater'. The risk of groundwater flooding generally occurs when there is also a risk of flooding from the Thames, so the risk of groundwater flooding on site is low.
7. The site area is 0.06ha (Source: Landmark Information Group) and well below the 1ha threshold to be considered a major development.
8. There are no records of historical flooding on site. The SFRA does record a surface water flooding incident c. 35m southeast of the site in 2011.
9. The Flood Risk Assessment undertaken by Soils Limited based on the available data has demonstrated that there is a very low risk from Fluvial flooding over time. The risk from Pluvial and Groundwater flooding is low to medium over time, with the main area of concern in the northeast of the site. The proposed development can be designed to mitigate the limited risks identified with residual effects on adjacent areas considered to be negligible.

List of Figures

Figure 1 – EA Flood Map for Planning 7
Figure 2 – Site Location Map 16
Figure 3 – Site Plan 17

List of Appendices

- Appendix A Landmark Flood Screening Report
- Appendix B Proposed Development Plans




Figure 2 – Site Location Map

Job Number
21173

Project
260 Coombe Lane, West Wimbledon, London
SW20 0RW

Client
Glenn Perry Capuyan

Date
January 2024



Figure 3 – Site Plan

Project

260 Coombe Lane, West
Wimbledon, London SW20 0RW

Client

Ghlenn Perry Capuyan

Date

January 2024

Job Number

21173



Appendix A Landmark Flood Screening Report

Envirocheck[®] Report: Flood Screening Report Datasheet

Order Details:

Order Number:

328378136_1_1

Customer Reference:

21173

National Grid Reference:

522310, 169640

Slice:

A

Site Area (Ha):

0.06

Search Buffer (m):

1000

Site Details:

260, Coombe Lane

LONDON

SW20 0RW

Client Details:

Mr N Lambert

Soils Ltd

Newton House

Cross Road

Tadworth

Surrey

KT20 5SR

Report Section and Details	Page Number
Summary	-
<p>The Summary section provides an overview of the data contained within the report, detailing the number of data set features or the existence of a data set in relation to the buffer(s) selected. For ease of reference, the report is broken down into seven sections of data.</p>	
EA / NRW / CEH Flood Data	-
<p>This section details data from the Environment Agency/Natural Resources Wales and the Centre for Ecology and Hydrology.</p> <p>The EA/NRW data is reported to a distance of 250m from the edge of the site polygon and details both Zone 2 (extreme) and Zone 3 flood extents, as well as flood defences, flood water storage areas and areas benefiting from flood defences.</p> <p>The CEH data is reported to a distance of 250m from the edge of the site polygon and covers flood data for Scotland, divided into levels based on the frequency and magnitude of a predicted 100 year term.</p> <p>All data sets within this section are plotted and feature on the EA / NRW / CEH Flood Data (1:10,000) map. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.</p>	
JBA Flood Data	1
<p>This section contains the Comprehensive Flood Map ("CFM") data from JBA Risk Management Limited. The data is based upon the likelihood of a flood occurrence for up to 4 flood return periods depending on the type of flooding; these being 75 years, 100 years, 200 years and 1000 years. Each layer being modelled at a 5m cell resolution.</p> <p>Each return period is depicted on a separate 1:10,000 scale map and reports features to a distance of 250m in the datasheet from the edge of the site polygon.</p> <p>For each return period the following three sources of flooding are identified, surface water or pluvial flooding, undefended river flooding or fluvial flooding and undefended coastal flooding. In each case the extent of the flooding source is displayed with the associated depth range.</p> <p>In addition, a 1:10,000 scale map depicting flooding from a Canal Failure and a coverage check for this dataset is included.</p> <p>Where coverage exists, information is reported in the datasheet where the site could be affected by flooding that results from a dam breach.</p> <p>For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.</p>	
BGS Flood Data	111
<p>This section contains two BGS data sets; namely Geological Indicators of Flooding and Groundwater Flooding Susceptibility, both of which report features out to a possible 1000m, with coverage in England, Wales and Scotland.</p> <p>Each data set is plotted on a separate BGS Flood Data (1:50,000) map.</p>	
GeoSmart Information Groundwater Flood Data	114
<p>This section contains data provided by GeoSmart Information who, building on their expertise, have developed algorithms and calibrated predictions of the risk of groundwater flooding occurring in Great Britain. The resulting map, classifies groundwater flood risk for each 5m x 5m into four categories, negligible, low, moderate and high. These classifications are based on the level of risk, combining severity and uncertainty that a site will suffer groundwater flooding within a return period of about 200 years.</p>	
OS Water Network Data	126
<p>This section details the MasterMap Water Network data sourced from the Ordnance Survey. The OS MasterMap Water Network data details a network representing the watercourse within Great Britain.</p> <p>The OS Water Network Lines data set details the approximate central alignment of a watercourse, including rivers, lakes and canals.</p> <p>The OS Water Network Nodes data set details features that represent a river's source, end, a junction where three or more links meet, and places where the real world related attribution changes; for example a watercourse becoming tidal.</p> <p>The data sets within this section are plotted and feature on the OS Water Network Map (1:10,000) . For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.</p>	

EA/NRW Historic Flood Events Data	149
<p>This section details Historic Flood data sourced from the Environment Agency/Natural Resources Wales and from data held by Landmark. The EA/NRW Historic Flood Events data is reported to a distance of 1000m from the edge of the site polygon and details recorded historic flood events from 1703 to October 2008. The data also contains information on the source and cause of the flood, and how the flood outline was established.</p> <p>Also included in this section is Landmark's Historical Flood Liabilities data set, which identifies areas that are liable to flood based on systematic analysis of historical mapping dating back to the mid 19th century.</p> <p>Both data sets within this section are plotted and feature on the EA/NRW Historical Flood (1:10,000) map. For added value, OS Contour data is also plotted, detailing contours, spot heights and land water boundaries.</p>	
EA/NRW RoFRS Data	153
<p>This section details the Risk of Flooding from Rivers and Sea (RoFRS) data sourced from the Environment Agency/Natural Resources Wales and is reported to a distance of 1000m from the edge of the site polygon. The RoFRS data provides an indication of areas of land at risk of flooding from rivers and the sea. These areas of land, called impacted cells, are represented as 50 metre squares, or smaller areas where a square is intersected by a river or coastline.</p> <p>The average height information of the impacted cell, modelled river and sea levels and information about over 200,000 flood defences are used as inputs to a computer flood model run by the Environment Agency/Natural Resources Wales. The model compares the probability that the flood defences will overtop or breach and the distance of the impact cell from the river or the sea for 40 scenarios for probabilities of between 100% to 0.1%.</p> <p>The results are then consolidated to calculate a single probability category for each impacted cell. These results have been validated by local staff using their local knowledge and expertise. RoFRS is a national flood risk assessment and does not contain information about property thresholds. Due to variations in the input data and the performance of the computer flood model at particular locations, the resulting category of an impacted cell should only be used at a specific study scale. In certain areas it would only be appropriate to compare risks between towns and counties whereas in other areas they would be more suitable for understanding risk at a street level. The level of suitability for a particular cell is indicated by the cell's suitability scale.</p> <p>The data within this section is plotted and feature on the EA/NRW RoFRS Data (1:50,000) map. This dataset is not available in Scotland.</p>	
Flood Insurance Risk Data	159
<p>This section contains flood risk data from Crawford and Company. This dataset is not plotted on any of the associated Flood maps.</p> <p>Crawford & Co have generated an Insurance Claims rating for Flood Risk. The risk is determined by comparing the number of flood insurance claims made to the number of properties in the postcode sector. The data will also include flood claims from domestic accidents or blocked drains, as well as flooding from river or tidal events. Flood insurance claim ratings are reported for the site only.</p>	
Data Currency	160
Data Suppliers	163
Useful Contacts	164

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m
EA / NRW / CEH Flood Data					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
JBA Flood Data					
JBA 75 Year Return (undefended) - Pluvial	pg 1	1	132	n/a	n/a
JBA 75 Year Return (undefended) - Fluvial	pg 7		475	n/a	n/a
JBA 75 Year Return (undefended) - Coastal				n/a	n/a
JBA 100 Year Return (undefended) - Fluvial	pg 28		456	n/a	n/a
JBA 100 Year Return (undefended) - Coastal				n/a	n/a
JBA 200 Year Return (undefended) - Pluvial	pg 49	1	195	n/a	n/a
JBA 200 Year Return (undefended) - Fluvial	pg 58		462	n/a	n/a
JBA 200 Year Return (undefended) - Coastal				n/a	n/a
JBA 1000 Year Return (undefended) - Pluvial	pg 79	3	213	n/a	n/a
JBA 1000 Year Return (undefended) - Fluvial	pg 89	15	443	n/a	n/a
JBA 1000 Year Return (undefended) - Coastal				n/a	n/a
JBA Canal Failure					
JBA Dam Break					
BGS Flood Data					
BGS Geological Indicators of Flooding	pg 111	1		1	2
BGS Groundwater Flooding Susceptibility	pg 111	1		8	32
GeoSmart Information Groundwater Flood					
GeoSmart Information Groundwater Flood Risk	pg 114	1	5	33	129
OS Water Network Data					
OS Water Network Lines	pg 126		4	10	128
OS Water Network Nodes	pg 141		6	6	124
EA/NRW Historic Flood Events Data					
Historic Flood Events	pg 149			6	29
Historical Flood Liabilities					
EA/NRW RoFRS Data					
RoFRS - Risk of Flooding from Rivers and Sea	pg 153			19	57
Flood Insurance Risk Data					
Postcode Sector Flood Insurance Claim Ratings	pg 159	1	n/a	n/a	n/a

Report Version v53.0

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	0	2	522320 169636
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	4	2	522315 169660
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	7	2	522310 169610
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	8	2	522290 169620
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	10	2	522295 169650
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	11	2	522320 169665
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	11	2	522325 169650
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	13	2	522320 169605
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	18	2	522290 169660
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	21	2	522290 169605
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	21	2	522330 169600
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	22	2	522295 169675
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	22	2	522330 169670
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	22	2	522340 169636
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	22	2	522275 169625
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	24	2	522285 169660
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	29	2	522345 169645
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	30	2	522340 169595
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	38	2	522275 169675
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	42	2	522295 169580
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	44	2	522290 169580
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	47	2	522265 169590

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	57	2	522255 169675
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	58	2	522255 169585
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	59	2	522255 169680
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	63	2	522255 169690
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	65	2	522250 169580
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	67	2	522235 169600
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	68	2	522245 169680
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	76	2	522240 169690
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	76	2	522225 169650
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	78	2	522235 169680
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	78	2	522230 169585
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	80	2	522220 169645
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	81	2	522230 169680
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	83	2	522235 169695
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	83	2	522220 169655
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	83	2	522215 169610
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	90	2	522340 169530
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	91	2	522395 169565
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	92	2	522310 169525
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	95	2	522220 169690
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	97	2	522360 169530
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	98	2	522350 169525

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	100	2	522205 169665
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	100	2	522420 169600
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	108	2	522195 169660
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	109	2	522410 169555
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	113	2	522435 169615
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	115	2	522240 169525
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	116	2	522415 169550
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	116	2	522360 169510
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	116	2	522190 169670
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	117	2	522385 169520
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	126	2	522430 169555
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	130	2	522195 169720
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	132	2	522435 169550
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	134	2	522190 169720
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	135	2	522185 169710
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	138	2	522435 169540
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	145	2	522290 169475
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	146	2	522380 169485
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	148	2	522150 169610
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	150	2	522185 169525
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	150	2	522365 169475
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	152	2	522155 169680

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	152	2	522145 169635
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	153	2	522180 169525
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	153	2	522145 169605
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	153	2	522360 169470
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	156	2	522280 169465
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	158	2	522420 169495
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	159	2	522290 169460
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	160	2	522155 169550
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	165	2	522470 169545
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	166	2	522370 169460
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	167	2	522305 169450
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	167	2	522310 169450
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	167	2	522130 169635
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	168	2	522130 169640
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	169	2	522365 169455
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	170	2	522140 169560
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	171	2	522145 169545
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	171	2	522185 169495
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	172	2	522315 169445
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	173	2	522360 169450
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	173	2	522125 169610
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	175	2	522370 169450

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	182	2	522375 169445
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	184	2	522480 169525
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	184	2	522115 169600
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	184	2	522120 169575
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	185	2	522125 169555
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	185	2	522195 169470
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	185	2	522130 169705
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	185	2	522115 169590
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	189	2	522480 169515
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	190	2	522495 169540
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	191	2	522260 169435
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	191	2	522110 169585
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	194	2	522125 169535
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	194	2	522385 169435
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	195	2	522495 169530
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	198	2	522100 169600
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	201	2	522105 169565
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	204	2	522095 169595
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	205	2	522115 169530
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	206	2	522125 169510
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	207	2	522495 169505
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	207	2	522095 169670

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	211	2	522095 169685
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	211	2	522090 169665
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	213	2	522085 169645
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	217	2	522090 169690
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	217	2	522085 169670
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	219	2	522095 169710
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	224	2	522080 169680
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	224	2	522075 169655
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	230	2	522095 169515
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	230	2	522085 169715
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	231	2	522225 169405
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	231	2	522380 169395
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	238	2	522250 169890
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	239	2	522535 169510
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	241	2	522235 169390
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	243	2	522060 169680
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	245	2	522185 169870
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	246	2	522240 169895
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	246	2	522070 169720
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	246	2	522060 169690
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	249	2	522060 169700
	JBA 75 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	249	2	522055 169685

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	250	2	522075 169510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	2	2	522315 169615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	7	2	522310 169610
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	7	2	522315 169610
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	8	2	522290 169620
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	8	2	522300 169615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	10	2	522300 169660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	10	2	522295 169615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	11	2	522295 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	11	2	522295 169650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	12	2	522285 169630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	12	2	522310 169605
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	13	2	522320 169605
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	14	2	522325 169605
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	16	2	522290 169610
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	18	2	522290 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	21	2	522290 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	22	2	522295 169675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	22	2	522275 169625
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	22	2	522280 169610
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	23	2	522295 169600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	24	2	522275 169615

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	25	2	522280 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	26	2	522275 169610
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	27	2	522270 169630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	27	2	522270 169620
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	28	2	522270 169635
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	30	2	522290 169595
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	32	2	522265 169630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	33	2	522295 169590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	35	2	522275 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	36	2	522280 169680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	37	2	522275 169595
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	37	2	522310 169580
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	37	2	522315 169580
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	37	2	522260 169630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	38	2	522295 169585
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	40	2	522265 169600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	41	2	522270 169670
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	42	2	522310 169575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	42	2	522295 169580
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	42	2	522255 169635
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	42	2	522255 169630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	42	2	522260 169605

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	43	2	522310 169575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	43	2	522255 169636
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	44	2	522270 169590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	47	2	522265 169590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	47	2	522320 169570
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	47	2	522250 169630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	48	2	522255 169600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	48	2	522265 169675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	50	2	522250 169640
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	52	2	522320 169565
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	53	2	522325 169565
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	54	2	522330 169565
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	54	2	522260 169680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	57	2	522245 169600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	57	2	522315 169560
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	57	2	522240 169620
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	59	2	522240 169640
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	59	2	522240 169610
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	60	2	522335 169560
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	61	2	522240 169645
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	62	2	522340 169560
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	62	2	522235 169635

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	63	2	522325 169555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	63	2	522250 169680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	64	2	522235 169610
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	66	2	522280 169560
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	66	2	522340 169555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	67	2	522235 169600
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	67	2	522230 169625
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	68	2	522345 169555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	69	2	522230 169640
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	70	2	522230 169645
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	70	2	522350 169555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	70	2	522335 169550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	72	2	522230 169650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	72	2	522225 169625
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	72	2	522240 169675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	73	2	522275 169555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	73	2	522345 169550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	77	2	522220 169635
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	77	2	522220 169620
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	78	2	522225 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	78	2	522330 169540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	78	2	522235 169680

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	79	2	522270 169550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	79	2	522360 169550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	80	2	522220 169645
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	81	2	522220 169650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	81	2	522265 169550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	81	2	522355 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	81	2	522340 169540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	82	2	522310 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	82	2	522310 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	82	2	522215 169620
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	82	2	522275 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	83	2	522220 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	83	2	522215 169640
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	83	2	522215 169636
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	83	2	522245 169560
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	84	2	522250 169555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	84	2	522300 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	87	2	522325 169530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	87	2	522315 169530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	88	2	522215 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	90	2	522225 169690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	92	2	522230 169705

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	92	2	522210 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	92	2	522205 169620
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	92	2	522220 169680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	93	2	522285 169530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	94	2	522225 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	94	2	522220 169685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	95	2	522230 169710
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	95	2	522220 169690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	95	2	522265 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	96	2	522210 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	96	2	522275 169530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	97	2	522205 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	97	2	522200 169630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	97	2	522200 169625
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	97	2	522215 169680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	98	2	522380 169540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	99	2	522205 169660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	99	2	522200 169645
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	99	2	522375 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	100	2	522205 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	100	2	522210 169575
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	101	2	522210 169680

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	101	2	522215 169695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	102	2	522270 169525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	102	2	522195 169630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	103	2	522215 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	103	2	522210 169685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	104	2	522225 169720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	104	2	522230 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	105	2	522215 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	105	2	522195 169650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	105	2	522385 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	106	2	522260 169525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	107	2	522195 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	107	2	522350 169515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	108	2	522195 169660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	108	2	522190 169610
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	109	2	522385 169530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	109	2	522355 169515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	109	2	522410 169555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	110	2	522195 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	112	2	522210 169710
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	112	2	522390 169530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	112	2	522185 169636

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	112	2	522185 169630
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	113	2	522215 169720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	113	2	522255 169520
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	113	2	522205 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	114	2	522190 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	114	2	522205 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	115	2	522395 169530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	116	2	522185 169595
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	116	2	522185 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	116	2	522415 169550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	117	2	522205 169710
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	117	2	522365 169510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	117	2	522200 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	117	2	522235 169525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	118	2	522280 169505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	119	2	522185 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	119	2	522395 169525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	119	2	522185 169585
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	119	2	522250 169515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	119	2	522415 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	119	2	522195 169690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	120	2	522180 169650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	120	2	522420 169550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	120	2	522195 169695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	120	2	522190 169680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	121	2	522180 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	121	2	522245 169515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	121	2	522425 169555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	122	2	522180 169590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	122	2	522180 169660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	122	2	522400 169525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	122	2	522175 169636
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	123	2	522180 169585
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	123	2	522185 169675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	124	2	522205 169725
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	125	2	522180 169580
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	126	2	522420 169540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	126	2	522195 169710
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	126	2	522375 169505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	128	2	522170 169640
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	128	2	522185 169690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	129	2	522175 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	130	2	522195 169720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	131	2	522170 169590

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	131	2	522270 169495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	131	2	522430 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	131	2	522180 169685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	132	2	522190 169715
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	132	2	522435 169550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	132	2	522175 169675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	133	2	522170 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	133	2	522185 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	133	2	522190 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	133	2	522180 169690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	133	2	522165 169610
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	134	2	522190 169720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	134	2	522260 169495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	134	2	522430 169540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	135	2	522185 169710
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	135	2	522375 169495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	135	2	522180 169695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	135	2	522435 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	135	2	522195 169730
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	136	2	522415 169520
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	136	2	522180 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	136	2	522175 169685

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	137	2	522440 169550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	138	2	522250 169495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	138	2	522435 169540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	139	2	522190 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	139	2	522160 169645
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	141	2	522240 169495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	141	2	522435 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	142	2	522310 169475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	142	2	522250 169490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	142	2	522190 169735
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	142	2	522155 169615
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	143	2	522430 169525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	143	2	522175 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	143	2	522415 169510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	143	2	522425 169520
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	143	2	522165 169680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	144	2	522160 169670
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	145	2	522450 169550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	146	2	522155 169660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	146	2	522170 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	146	2	522240 169490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	146	2	522160 169675

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	147	2	522420 169510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	147	2	522165 169690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	147	2	522150 169620
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	147	2	522250 169485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	148	2	522155 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	148	2	522210 169505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	148	2	522160 169680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	149	2	522155 169670
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	149	2	522150 169650
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	150	2	522180 169735
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	151	2	522150 169590
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	152	2	522210 169500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	152	2	522175 169730
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	153	2	522170 169720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	153	2	522450 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	154	2	522435 169515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	155	2	522165 169715
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	155	2	522240 169480
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	156	2	522150 169675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	156	2	522145 169660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	157	2	522460 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	158	2	522445 169520

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	158	2	522155 169695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	160	2	522140 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	161	2	522250 169470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	161	2	522445 169515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	161	2	522440 169510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	161	2	522435 169505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	161	2	522150 169690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	162	2	522135 169625
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	163	2	522470 169550
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	163	2	522205 169490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	163	2	522150 169695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	164	2	522435 169500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	164	2	522150 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	164	2	522145 169685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	165	2	522135 169655
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	165	2	522450 169515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	165	2	522470 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	166	2	522150 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	167	2	522140 169680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	168	2	522220 169475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	168	2	522450 169510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	168	2	522435 169495

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	168	2	522430 169490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	170	2	522460 169520
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	171	2	522130 169660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	171	2	522165 169515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	171	2	522445 169500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	171	2	522450 169505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	172	2	522435 169490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	172	2	522140 169695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	172	2	522430 169485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	175	2	522435 169485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	175	2	522440 169490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	176	2	522125 169660
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	177	2	522125 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	177	2	522120 169635
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	178	2	522455 169500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 1.0m	A13SW (SW)	178	2	522180 169490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	178	2	522130 169685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	178	2	522445 169490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	180	2	522135 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	180	2	522490 169555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	180	2	522235 169455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	181	2	522480 169530

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	182	2	522120 169665
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	182	2	522125 169685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	183	2	522495 169560
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	183	2	522465 169505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	183	2	522130 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	183	2	522185 169480
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	184	2	522480 169525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	184	2	522495 169555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	185	2	522195 169470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	185	2	522130 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	185	2	522175 169485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	186	2	522440 169475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	186	2	522210 169460
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	186	2	522465 169500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	186	2	522180 169480
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	187	2	522130 169710
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	187	2	522320 169430
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	188	2	522495 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	189	2	522500 169555
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	189	2	522155 169500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	189	2	522465 169495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	189	2	522460 169490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	189	2	522120 169690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	189	2	522170 169485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	189	2	522175 169480
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	190	2	522120 169695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	190	2	522495 169540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	191	2	522435 169465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	192	2	522110 169670
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	192	2	522190 169465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	192	2	522505 169560
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	192	2	522155 169495
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	192	2	522460 169485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	193	2	522125 169715
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	193	2	522175 169475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	194	2	522120 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	195	2	522110 169680
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	195	2	522495 169530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	195	2	522160 169485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	196	2	522450 169470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	197	2	522105 169670
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	197	2	522500 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	199	2	522165 169475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	199	2	522105 169675

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	200	2	522515 169565
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	200	2	522200 169450
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	200	2	522470 169485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	201	2	522115 169710
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	202	2	522515 169560
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	203	2	522115 169715
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	203	2	522505 169530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	203	2	522165 169470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	203	2	522110 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	203	2	522145 169490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	204	2	522170 169465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	205	2	522190 169450
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	205	2	522105 169695
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	206	2	522105 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	206	2	522490 169500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	206	2	522215 169435
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	206	2	522145 169485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	206	2	522510 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	207	2	522110 169715
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	207	2	522515 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	207	2	522475 169480
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	209	2	522100 169695

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	210	2	522155 169470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	210	2	522495 169500
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	210	2	522515 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	211	2	522205 169435
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	211	2	522520 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	213	2	522100 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	213	2	522140 169480
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	214	2	522105 169720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	214	2	522480 169475
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	214	2	522160 169460
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	215	2	522515 169525
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	215	2	522205 169430
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	216	2	522185 169440
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	217	2	522520 169530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	218	2	522180 169440
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	218	2	522085 169675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	219	2	522095 169710
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	219	2	522165 169450
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	220	2	522140 169470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	220	2	522170 169445
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	220	2	522500 169490
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	220	2	522135 169475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	221	2	522520 169520
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	222	2	522515 169510
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	222	2	522085 169690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	223	2	522095 169720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	223	2	522220 169415
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	223	2	522165 169445
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	223	2	522500 169485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	223	2	522080 169675
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	224	2	522205 169420
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	224	2	522520 169515
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	224	2	522145 169460
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	225	2	522490 169470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	225	2	522085 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	226	2	522530 169530
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	227	2	522135 169465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	227	2	522140 169460
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	227	2	522210 169415
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	227	2	522330 169390
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	227	2	522180 169430
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	228	2	522090 169720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	228	2	522495 169470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	228	2	522145 169455

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	229	2	522085 169710
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	229	2	522205 169415
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	229	2	522090 169725
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	230	2	522080 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	230	2	522215 169410
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	230	2	522075 169685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	231	2	522080 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	231	2	522130 169465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	231	2	522410 169405
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	231	2	522510 169485
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	231	2	522180 169425
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	232	2	522495 169465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	232	2	522075 169690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	232	2	522540 169540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	233	2	522340 169385
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	233	2	522195 169415
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	234	2	522405 169400
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	234	2	522160 169435
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	234	2	522540 169535
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	235	2	522140 169450
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	235	2	522545 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	235	2	522515 169485

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	235	2	522070 169685
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	235	2	522165 169430
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	236	2	522505 169470
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	236	2	522180 169420
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	236	2	522075 169705
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	236	2	522070 169690
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	237	2	522545 169540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	237	2	522080 169720
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	238	2	522125 169460
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	238	2	522130 169455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	238	2	522495 169455
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	238	2	522490 169450
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	238	2	522140 169445
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	238	2	522160 169430
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	238	2	522515 169480
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	239	2	522145 169440
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	239	2	522260 169385
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	240	2	522190 169410
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	240	2	522550 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	241	2	522550 169540
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	241	2	522155 169430
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	242	2	522520 169480

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	243	2	522510 169465
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	244	2	522555 169545
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	245	2	522225 169390
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	246	2	522510 169460
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	246	2	522140 169435
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	247	2	522205 169395
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	248	2	522165 169415
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	248	2	522120 169450
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	248	2	522230 169385
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	248	2	522070 169725
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	249	2	522155 169420
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	249	2	522060 169700
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	250	2	522545 169505
	JBA 75 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	250	2	522070 169730
	JBA 75 Year Return (undefended) - Coastal None				
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	2	2	522315 169615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	5	2	522295 169620
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	6	2	522305 169615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	7	2	522310 169610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	8	2	522290 169620
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	8	2	522300 169615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	10	2	522300 169660

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	10	2	522295 169615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	11	2	522295 169655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	11	2	522295 169650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	12	2	522285 169630
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	13	2	522320 169605
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	14	2	522325 169605
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	16	2	522290 169610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	17	2	522280 169625
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	17	2	522280 169620
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	17	2	522320 169600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	18	2	522290 169655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	19	2	522300 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	19	2	522290 169660
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	19	2	522285 169610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	21	2	522290 169605
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	22	2	522295 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	22	2	522275 169625
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	23	2	522285 169605
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	24	2	522285 169660
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	24	2	522275 169615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	25	2	522280 169665
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	26	2	522275 169610

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	27	2	522270 169630
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	27	2	522270 169620
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	27	2	522285 169600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	32	2	522265 169630
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	33	2	522275 169600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	33	2	522295 169590
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	35	2	522275 169665
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	36	2	522300 169585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	37	2	522260 169635
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	37	2	522310 169580
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	37	2	522315 169580
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	38	2	522295 169585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	38	2	522275 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	39	2	522260 169636
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	40	2	522265 169600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	41	2	522270 169670
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	42	2	522310 169575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	42	2	522295 169580
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	42	2	522255 169635
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	42	2	522255 169630
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	42	2	522260 169605
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	43	2	522310 169575

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	44	2	522270 169590
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	47	2	522320 169570
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	47	2	522250 169630
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	47	2	522265 169590
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	48	2	522340 169575
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	49	2	522330 169570
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	50	2	522250 169640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	52	2	522320 169565
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	52	2	522265 169685
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	52	2	522260 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	53	2	522325 169565
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	54	2	522330 169565
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	57	2	522315 169560
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	57	2	522240 169620
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	57	2	522255 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	57	2	522240 169635
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	57	2	522240 169625
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	58	2	522240 169636
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	59	2	522255 169680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	59	2	522240 169640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	59	2	522240 169610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	60	2	522335 169560

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	61	2	522240 169645
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	62	2	522340 169560
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	63	2	522290 169560
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	63	2	522255 169690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	63	2	522235 169636
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	64	2	522235 169610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	65	2	522235 169645
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	66	2	522280 169560
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	66	2	522340 169555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	67	2	522235 169600
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	67	2	522230 169625
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	68	2	522345 169555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	69	2	522235 169655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	70	2	522270 169560
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	71	2	522280 169555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	72	2	522240 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	72	2	522225 169635
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	73	2	522275 169555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	73	2	522345 169550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	74	2	522300 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	74	2	522225 169640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	75	2	522230 169660

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	76	2	522225 169650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	77	2	522220 169635
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	77	2	522220 169620
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	78	2	522235 169680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	78	2	522225 169655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	79	2	522270 169550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	79	2	522360 169550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	80	2	522220 169645
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	81	2	522355 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	81	2	522220 169650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	82	2	522315 169535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	83	2	522245 169560
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	83	2	522220 169655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	83	2	522215 169640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	83	2	522215 169636
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	84	2	522270 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	86	2	522235 169565
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	87	2	522325 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	88	2	522270 169540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	88	2	522235 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	88	2	522215 169655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	88	2	522210 169640

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	91	2	522290 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	92	2	522230 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	92	2	522220 169680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	92	2	522205 169625
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	92	2	522205 169620
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	95	2	522265 169535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	95	2	522220 169690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	96	2	522230 169555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	96	2	522275 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	96	2	522210 169665
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	97	2	522215 169680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	97	2	522200 169630
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	97	2	522200 169625
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	98	2	522380 169540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	99	2	522375 169535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	99	2	522335 169520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	99	2	522220 169700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	99	2	522205 169660
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	99	2	522200 169645
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	100	2	522265 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	100	2	522205 169665
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	100	2	522210 169575

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	101	2	522290 169520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	102	2	522270 169525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	104	2	522230 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	104	2	522390 169540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	104	2	522225 169720
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	105	2	522195 169650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	106	2	522345 169515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	106	2	522210 169695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	107	2	522350 169515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	107	2	522195 169655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	107	2	522190 169630
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	108	2	522215 169710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	108	2	522205 169685
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	108	2	522195 169660
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	109	2	522410 169555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	109	2	522355 169515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	110	2	522195 169665
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	111	2	522260 169520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	112	2	522390 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	112	2	522210 169710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	112	2	522195 169670
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	112	2	522185 169636

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	113	2	522215 169720
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	113	2	522205 169700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	114	2	522210 169715
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	114	2	522205 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	114	2	522355 169510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	115	2	522395 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	115	2	522195 169680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	115	2	522240 169525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	116	2	522415 169550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	116	2	522185 169655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	116	2	522185 169595
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	117	2	522270 169510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	117	2	522365 169510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	117	2	522180 169636
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	118	2	522190 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	118	2	522180 169640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	119	2	522415 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	119	2	522395 169525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	119	2	522250 169515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	120	2	522420 169550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	120	2	522210 169725
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	120	2	522195 169695

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	120	2	522180 169650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	121	2	522425 169555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	121	2	522180 169655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	122	2	522400 169525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	122	2	522180 169660
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	122	2	522175 169636
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	123	2	522280 169500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	123	2	522180 169585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	124	2	522275 169500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	126	2	522420 169540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	126	2	522195 169710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	126	2	522235 169515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	126	2	522375 169505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	127	2	522175 169660
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	128	2	522200 169725
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	128	2	522185 169690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	128	2	522170 169640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	129	2	522180 169680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	131	2	522430 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	131	2	522180 169685
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	131	2	522270 169495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	132	2	522435 169550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	132	2	522415 169525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	132	2	522190 169715
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	132	2	522175 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	133	2	522185 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	133	2	522165 169640
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	133	2	522165 169610
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	133	2	522170 169585
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	134	2	522430 169540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	134	2	522190 169720
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	134	2	522165 169645
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	134	2	522170 169580
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	135	2	522435 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	135	2	522185 169710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	135	2	522385 169500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	136	2	522415 169520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	136	2	522410 169515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	137	2	522440 169550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	137	2	522380 169495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	138	2	522250 169495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	138	2	522435 169540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	139	2	522190 169535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	140	2	522185 169540

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	140	2	522165 169670
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	141	2	522435 169535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	141	2	522240 169495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	142	2	522190 169735
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	142	2	522160 169660
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	142	2	522155 169615
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	143	2	522425 169520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	143	2	522415 169510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	144	2	522395 169495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	144	2	522245 169490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	144	2	522155 169650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	145	2	522450 169550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	146	2	522160 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	146	2	522390 169490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	146	2	522265 169480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	147	2	522180 169535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	147	2	522435 169525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	147	2	522170 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	147	2	522420 169510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	147	2	522165 169690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	149	2	522150 169650
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	150	2	522435 169520

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	150	2	522420 169505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	150	2	522150 169655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	152	2	522155 169680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	152	2	522145 169620
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	153	2	522160 169695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	155	2	522165 169715
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	155	2	522240 169480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	155	2	522400 169485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	156	2	522450 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	156	2	522145 169660
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	157	2	522460 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	157	2	522455 169535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	158	2	522445 169520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	159	2	522145 169670
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	160	2	522145 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	160	2	522140 169655
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	161	2	522445 169515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	161	2	522440 169510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	161	2	522435 169505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	161	2	522250 169470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	162	2	522140 169665
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	162	2	522135 169625

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	163	2	522470 169550
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	163	2	522205 169490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	164	2	522150 169700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	164	2	522145 169685
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	165	2	522470 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	165	2	522450 169515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	166	2	522150 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	167	2	522140 169680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	168	2	522450 169510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	168	2	522135 169670
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	168	2	522430 169490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	168	2	522440 169500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	168	2	522220 169475
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	170	2	522460 169520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	171	2	522165 169515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	171	2	522450 169505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	172	2	522140 169695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	175	2	522455 169505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	175	2	522130 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	175	2	522440 169490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	177	2	522125 169665
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	177	2	522120 169635

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 1.0m	A13SW (SW)	178	2	522180 169490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	179	2	522435 169480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	180	2	522235 169455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	180	2	522490 169555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	180	2	522135 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	181	2	522480 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	181	2	522125 169680
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	182	2	522455 169495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	182	2	522180 169485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	182	2	522120 169665
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	183	2	522495 169560
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	183	2	522130 169700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	183	2	522465 169505
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	183	2	522435 169475
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	184	2	522495 169555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	184	2	522480 169525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	184	2	522125 169690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	185	2	522130 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	185	2	522195 169470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	186	2	522125 169695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	186	2	522465 169500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	187	2	522130 169710

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	187	2	522320 169430
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	188	2	522495 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	188	2	522130 169715
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	189	2	522500 169555
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	189	2	522155 169500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	189	2	522465 169495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	189	2	522460 169490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	189	2	522170 169485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	189	2	522175 169480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	190	2	522495 169540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	190	2	522440 169470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	190	2	522210 169455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	192	2	522505 169560
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	192	2	522155 169495
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	192	2	522115 169685
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	192	2	522110 169670
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	192	2	522460 169485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	193	2	522125 169715
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	193	2	522445 169470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	194	2	522120 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	195	2	522495 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	195	2	522115 169695

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	196	2	522465 169485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	197	2	522500 169535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	197	2	522205 169450
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	198	2	522110 169690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	199	2	522115 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	199	2	522105 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	199	2	522150 169490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	199	2	522165 169475
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	200	2	522515 169565
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	200	2	522470 169485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	202	2	522515 169560
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	203	2	522505 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	203	2	522115 169715
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	203	2	522145 169490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	203	2	522165 169470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	204	2	522170 169465
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	205	2	522220 169435
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	205	2	522230 169430
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	205	2	522105 169695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	205	2	522190 169450
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	206	2	522205 169440
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	206	2	522215 169435

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	206	2	522105 169700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	206	2	522490 169500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	206	2	522145 169485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	207	2	522515 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	207	2	522110 169715
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	207	2	522475 169480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	208	2	522170 169460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	209	2	522100 169695
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	210	2	522515 169535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	210	2	522495 169500
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	211	2	522415 169430
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	211	2	522520 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	211	2	522165 169460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	213	2	522100 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	213	2	522140 169480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	213	2	522155 169465
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	214	2	522480 169475
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	215	2	522515 169525
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	215	2	522100 169710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	216	2	522185 169440
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	217	2	522520 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	217	2	522090 169690

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	217	2	522155 169460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	218	2	522210 169425
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	218	2	522085 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	220	2	522215 169420
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	220	2	522090 169700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	220	2	522500 169490
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	220	2	522135 169475
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	220	2	522170 169445
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	221	2	522520 169520
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	222	2	522210 169420
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	222	2	522090 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	222	2	522515 169510
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	223	2	522180 169435
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	223	2	522095 169720
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	223	2	522220 169415
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	223	2	522080 169675
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	223	2	522500 169485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	224	2	522520 169515
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	224	2	522145 169460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	224	2	522150 169455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	225	2	522085 169700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	225	2	522495 169475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	225	2	522490 169470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	226	2	522530 169530
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	227	2	522085 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	228	2	522090 169720
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	229	2	522085 169710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	229	2	522205 169415
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	230	2	522215 169410
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	230	2	522075 169685
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	230	2	522160 169440
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	231	2	522080 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	231	2	522510 169485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	231	2	522130 169465
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	231	2	522135 169460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	232	2	522540 169540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	232	2	522075 169690
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	232	2	522495 169465
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	233	2	522080 169710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	233	2	522195 169415
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	234	2	522160 169435
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	234	2	522540 169535
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	235	2	522545 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	235	2	522070 169685

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	235	2	522515 169485
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	236	2	522505 169470
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	237	2	522545 169540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	238	2	522175 169420
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	238	2	522075 169710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	238	2	522515 169480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	238	2	522125 169460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	238	2	522130 169455
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	239	2	522500 169460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	239	2	522145 169440
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	240	2	522150 169435
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	240	2	522550 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	241	2	522550 169540
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	241	2	522210 169400
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	242	2	522140 169440
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	242	2	522520 169480
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	243	2	522510 169465
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	244	2	522555 169545
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	245	2	522075 169730
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	246	2	522065 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	246	2	522510 169460
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	247	2	522400 169385

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	247	2	522065 169710
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	248	2	522070 169725
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	248	2	522165 169415
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	248	2	522230 169385
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	248	2	522120 169450
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	249	2	522155 169420
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	249	2	522060 169700
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	250	2	522060 169705
	JBA 100 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	250	2	522545 169505
	JBA 100 Year Return (undefended) - Coastal None				
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SW)	0	2	522310 169636
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	2	2	522315 169615
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	4	2	522315 169660
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	8	2	522290 169620
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	10	2	522300 169660
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	11	2	522320 169665
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	11	2	522295 169650
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	11	2	522325 169650
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	13	2	522320 169605
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	15	2	522295 169660
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	21	2	522330 169600
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	22	2	522340 169636

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	22	2	522275 169625
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	24	2	522285 169660
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (E)	28	2	522345 169640
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	35	2	522275 169665
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	36	2	522330 169690
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	36	2	522270 169670
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	42	2	522295 169580
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	42	2	522255 169635
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	44	2	522290 169580
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	45	2	522300 169575
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	46	2	522285 169580
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	47	2	522265 169590
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	48	2	522270 169585
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	50	2	522250 169640
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	51	2	522255 169595
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	51	2	522265 169585
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	52	2	522310 169565
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	54	2	522255 169590
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	57	2	522320 169560
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	57	2	522255 169675
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	58	2	522250 169590
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	59	2	522265 169575

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	59	2	522330 169560
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	59	2	522255 169680
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	61	2	522255 169580
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	61	2	522240 169645
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	62	2	522240 169600
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	63	2	522255 169690
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	64	2	522300 169555
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	65	2	522235 169605
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	67	2	522235 169600
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	67	2	522315 169550
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	69	2	522235 169655
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	69	2	522230 169640
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	72	2	522320 169545
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	72	2	522240 169675
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	72	2	522230 169650
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	79	2	522260 169555
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	82	2	522345 169540
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	83	2	522215 169610
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	83	2	522230 169680
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	83	2	522220 169655
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	85	2	522230 169690
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	87	2	522310 169530

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	89	2	522210 169605
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	89	2	522350 169535
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	89	2	522300 169530
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	91	2	522395 169565
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	92	2	522205 169615
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	95	2	522355 169530
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	95	2	522220 169690
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	97	2	522285 169525
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	97	2	522320 169520
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	100	2	522420 169600
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	102	2	522205 169580
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	103	2	522410 169565
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	104	2	522215 169560
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	109	2	522410 169555
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	111	2	522380 169525
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	113	2	522435 169615
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	113	2	522385 169525
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	115	2	522370 169515
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	116	2	522415 169550
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	117	2	522320 169500
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	118	2	522195 169565
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	119	2	522340 169500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	120	2	522210 169725
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	123	2	522335 169495
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	126	2	522430 169555
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	126	2	522195 169550
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	127	2	522170 169630
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	127	2	522170 169615
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	128	2	522380 169505
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	129	2	522295 169490
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	130	2	522400 169515
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	132	2	522310 169485
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	132	2	522205 169530
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	133	2	522405 169515
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	134	2	522190 169720
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	135	2	522185 169710
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	137	2	522160 169630
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	137	2	522160 169615
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	140	2	522375 169490
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	141	2	522180 169545
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	143	2	522180 169720
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	143	2	522155 169610
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	147	2	522415 169505
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	150	2	522185 169525

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	151	2	522400 169490
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	152	2	522155 169680
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	153	2	522145 169610
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	154	2	522425 169505
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	154	2	522420 169500
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	157	2	522215 169490
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	157	2	522325 169460
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	158	2	522375 169470
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	158	2	522360 169465
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	159	2	522415 169490
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	159	2	522340 169460
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	161	2	522350 169460
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	162	2	522235 169475
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	162	2	522355 169460
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	163	2	522415 169485
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	163	2	522245 169470
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	163	2	522335 169455
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	164	2	522430 169495
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	165	2	522470 169545
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	165	2	522345 169455
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	165	2	522350 169455
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	167	2	522175 169510

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	167	2	522180 169505
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	168	2	522190 169495
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	168	2	522130 169645
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	170	2	522130 169655
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	171	2	522185 169495
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	172	2	522125 169636
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	175	2	522265 169450
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	175	2	522160 169515
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	179	2	522345 169440
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	181	2	522120 169660
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	182	2	522115 169636
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	184	2	522480 169525
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	185	2	522235 169450
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	187	2	522305 169430
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	188	2	522130 169715
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	189	2	522480 169515
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	193	2	522150 169500
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	193	2	522105 169640
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	197	2	522110 169685
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	197	2	522105 169670
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	200	2	522260 169425
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	200	2	522145 169495

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	204	2	522135 169500
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	207	2	522100 169560
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	207	2	522495 169505
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	208	2	522250 169420
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	208	2	522100 169690
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	208	2	522095 169675
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	209	2	522385 169420
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	210	2	522180 169450
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	210	2	522440 169445
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	214	2	522290 169405
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	216	2	522120 169500
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	217	2	522320 169400
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	217	2	522090 169690
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	217	2	522085 169670
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	217	2	522175 169445
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	218	2	522295 169400
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	219	2	522455 169445
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	219	2	522095 169710
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	220	2	522230 169415
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	222	2	522110 169505
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	223	2	522080 169675
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	224	2	522075 169655

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	226	2	522255 169400
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	226	2	522225 169410
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	226	2	522315 169885
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	227	2	522210 169415
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	228	2	522220 169410
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	229	2	522285 169390
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	231	2	522430 169415
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	231	2	522210 169410
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	233	2	522080 169540
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	234	2	522070 169680
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	234	2	522125 169465
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	236	2	522320 169895
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	238	2	522425 169405
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	238	2	522250 169890
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	238	2	522485 169445
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	239	2	522540 169520
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	239	2	522535 169510
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	241	2	522410 169395
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	241	2	522130 169450
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	242	2	522545 169525
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	242	2	522385 169385
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	242	2	522335 169900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	245	2	522185 169870
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	245	2	522380 169380
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	245	2	522115 169460
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	245	2	522245 169895
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	247	2	522385 169380
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	247	2	522270 169375
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	248	2	522085 169495
	JBA 200 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	249	2	522495 169440
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	2	2	522315 169615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	3	2	522310 169615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	5	2	522295 169620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	6	2	522305 169615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	7	2	522300 169650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	7	2	522300 169615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	7	2	522290 169625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	8	2	522290 169620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	8	2	522320 169610
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	10	2	522300 169660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	11	2	522295 169650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	12	2	522285 169630
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	12	2	522310 169605
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	13	2	522285 169620

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	13	2	522320 169605
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	14	2	522310 169605
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	14	2	522325 169605
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	16	2	522290 169610
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	16	2	522330 169605
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	17	2	522280 169620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	17	2	522315 169600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	17	2	522320 169600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	18	2	522290 169655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	18	2	522290 169660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (N)	19	2	522300 169675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	19	2	522285 169610
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	19	2	522325 169600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	21	2	522330 169600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (N)	22	2	522295 169675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	22	2	522280 169610
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	23	2	522295 169600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	24	2	522285 169660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	24	2	522275 169615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	25	2	522290 169675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	26	2	522340 169600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	27	2	522335 169595

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	28	2	522295 169595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	29	2	522280 169660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	30	2	522330 169590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	30	2	522340 169595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	30	2	522290 169595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	32	2	522335 169590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	32	2	522310 169585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	33	2	522295 169590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	33	2	522325 169585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	33	2	522265 169615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	33	2	522275 169600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	34	2	522265 169636
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	34	2	522280 169595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	35	2	522330 169585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	36	2	522300 169585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	36	2	522270 169600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	37	2	522315 169580
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	37	2	522320 169580
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	37	2	522335 169585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	37	2	522310 169580
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	38	2	522275 169675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	38	2	522355 169600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	40	2	522350 169590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	40	2	522265 169600
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	41	2	522355 169595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	42	2	522255 169635
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	42	2	522255 169630
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	42	2	522260 169605
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	42	2	522295 169580
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	43	2	522255 169636
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	44	2	522270 169590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	44	2	522355 169590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	46	2	522265 169670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	47	2	522355 169585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	47	2	522265 169590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	47	2	522250 169625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	48	2	522340 169575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	49	2	522330 169570
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	49	2	522365 169595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	50	2	522250 169640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	52	2	522265 169685
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	52	2	522245 169635
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	52	2	522260 169675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	53	2	522305 169565

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	53	2	522325 169565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	54	2	522330 169565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	54	2	522245 169610
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	55	2	522355 169575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	56	2	522245 169645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	57	2	522240 169635
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	57	2	522255 169675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	57	2	522240 169620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	58	2	522240 169615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	59	2	522370 169585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	59	2	522240 169640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	59	2	522345 169565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	59	2	522260 169690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	59	2	522255 169680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	59	2	522240 169610
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	60	2	522335 169560
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	61	2	522240 169645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	62	2	522235 169630
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	62	2	522340 169560
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	63	2	522255 169690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	63	2	522235 169615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	64	2	522240 169655

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	67	2	522380 169585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	68	2	522245 169680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	68	2	522345 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	69	2	522235 169655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	70	2	522350 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	71	2	522280 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	72	2	522375 169570
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	72	2	522225 169635
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	72	2	522355 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	72	2	522240 169675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	73	2	522235 169665
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	73	2	522230 169655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	73	2	522275 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	74	2	522225 169640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	74	2	522300 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	75	2	522230 169660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	76	2	522240 169690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	77	2	522220 169625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	78	2	522225 169655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	78	2	522220 169636
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	78	2	522235 169680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	79	2	522270 169550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	79	2	522360 169550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	81	2	522220 169650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	81	2	522230 169675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	82	2	522315 169535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	83	2	522220 169655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	83	2	522215 169636
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	83	2	522230 169575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	83	2	522360 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	84	2	522270 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	86	2	522240 169710
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	86	2	522235 169565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	87	2	522210 169620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	88	2	522215 169655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	88	2	522330 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	88	2	522235 169705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	88	2	522210 169640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	88	2	522395 169570
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	88	2	522250 169550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	90	2	522400 169575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	91	2	522395 169565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	92	2	522400 169570
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	92	2	522205 169630

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	92	2	522205 169625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	92	2	522220 169680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	92	2	522205 169620
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	93	2	522235 169715
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	93	2	522210 169590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	93	2	522205 169640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	93	2	522270 169535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	95	2	522220 169690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	96	2	522210 169665
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	96	2	522275 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	97	2	522220 169695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	97	2	522200 169630
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	97	2	522200 169625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	97	2	522250 169540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	98	2	522400 169560
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	98	2	522210 169670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	98	2	522380 169540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	99	2	522205 169660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	99	2	522200 169645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	99	2	522405 169565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	99	2	522375 169535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	100	2	522230 169720

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	100	2	522265 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	100	2	522210 169575
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	101	2	522210 169680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	102	2	522195 169630
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	103	2	522410 169565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	103	2	522200 169590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	104	2	522225 169720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	104	2	522265 169525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	105	2	522195 169650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	105	2	522405 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	106	2	522260 169525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	106	2	522210 169695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	106	2	522345 169515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	107	2	522190 169636
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	107	2	522205 169570
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	107	2	522350 169515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	107	2	522200 169670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	107	2	522220 169550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	108	2	522390 169535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	109	2	522190 169645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	109	2	522410 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	109	2	522355 169515

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	110	2	522195 169665
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	110	2	522290 169510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	111	2	522190 169655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	112	2	522210 169710
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	113	2	522205 169700
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	113	2	522195 169675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	113	2	522415 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	114	2	522190 169665
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	114	2	522220 169730
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	114	2	522420 169560
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	114	2	522355 169510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	115	2	522395 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	116	2	522415 169550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	116	2	522185 169595
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	117	2	522210 169720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	117	2	522365 169510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	118	2	522180 169640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	119	2	522185 169665
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	119	2	522395 169525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	119	2	522415 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	120	2	522195 169695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	120	2	522210 169725

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	120	2	522190 169680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	120	2	522420 169550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	120	2	522360 169505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	121	2	522425 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	122	2	522405 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	123	2	522200 169715
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	123	2	522180 169585
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	123	2	522280 169500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	124	2	522195 169705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	124	2	522205 169725
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	124	2	522275 169500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	125	2	522185 169680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	126	2	522195 169710
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	126	2	522375 169505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	126	2	522420 169540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	127	2	522175 169590
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	127	2	522365 169500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	128	2	522170 169640
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	128	2	522200 169725
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	129	2	522420 169535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	130	2	522185 169695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	131	2	522170 169655

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	131	2	522180 169685
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	131	2	522430 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	132	2	522415 169525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	132	2	522410 169520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	132	2	522435 169550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	133	2	522165 169610
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	134	2	522190 169720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	134	2	522165 169645
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	134	2	522430 169540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	135	2	522185 169710
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	135	2	522180 169695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	135	2	522435 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	135	2	522245 169500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	135	2	522385 169500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	135	2	522270 169490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	136	2	522420 169525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	136	2	522415 169520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	136	2	522410 169515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	137	2	522440 169550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	138	2	522435 169540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	140	2	522415 169515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	140	2	522185 169540

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	141	2	522240 169495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	142	2	522190 169735
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	142	2	522155 169615
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	142	2	522250 169490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	143	2	522175 169705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	143	2	522425 169520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	143	2	522415 169510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	144	2	522155 169650
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	144	2	522245 169490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	145	2	522155 169655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	145	2	522450 169550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	146	2	522155 169660
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	146	2	522160 169675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	147	2	522165 169690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	147	2	522420 169510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	147	2	522180 169535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	150	2	522150 169655
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	150	2	522435 169520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	150	2	522420 169505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	152	2	522155 169680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	153	2	522160 169695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	154	2	522150 169670

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	154	2	522175 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	155	2	522400 169485
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	156	2	522450 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	157	2	522170 169730
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	157	2	522435 169510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	157	2	522460 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	157	2	522455 169535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	158	2	522445 169520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	161	2	522440 169510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	161	2	522435 169505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	162	2	522135 169625
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	162	2	522145 169680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	163	2	522470 169550
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	164	2	522170 169520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	164	2	522145 169685
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	165	2	522450 169515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	165	2	522470 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	166	2	522150 169705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	166	2	522250 169465
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	167	2	522140 169680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	168	2	522150 169710
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	168	2	522220 169475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	168	2	522160 169735
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	168	2	522400 169470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	168	2	522450 169510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	168	2	522430 169490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	170	2	522460 169520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	170	2	522155 169730
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	170	2	522250 169460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	170	2	522470 169535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	171	2	522165 169515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	171	2	522235 169465
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	172	2	522130 169665
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	172	2	522430 169485
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	172	2	522155 169735
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	172	2	522435 169490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	175	2	522455 169505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	175	2	522440 169490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	176	2	522140 169705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	176	2	522235 169460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	177	2	522150 169735
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	177	2	522120 169635
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	178	2	522455 169500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 1.0m	A13SW (SW)	178	2	522180 169490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	179	2	522125 169675
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	180	2	522490 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	181	2	522480 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	181	2	522145 169735
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	181	2	522125 169680
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	181	2	522245 169450
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	182	2	522135 169710
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	182	2	522180 169485
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	183	2	522495 169560
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	183	2	522465 169505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	184	2	522125 169690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	184	2	522480 169525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	184	2	522145 169740
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	184	2	522495 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	185	2	522175 169485
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	186	2	522440 169475
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	186	2	522140 169735
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	186	2	522465 169500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	187	2	522120 169685
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	188	2	522495 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	189	2	522175 169480
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	189	2	522445 169475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	189	2	522500 169555
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	189	2	522155 169500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	189	2	522465 169495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	189	2	522170 169485
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	190	2	522495 169540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	191	2	522135 169735
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	192	2	522325 169425
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	192	2	522110 169670
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	192	2	522480 169510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	192	2	522230 169445
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	193	2	522125 169715
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	193	2	522490 169525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	193	2	522175 169475
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	194	2	522235 169440
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	194	2	522120 169705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	195	2	522495 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	195	2	522500 169540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	196	2	522465 169485
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	196	2	522450 169470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	196	2	522150 169495
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	197	2	522175 169470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	199	2	522165 169475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	199	2	522150 169490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	200	2	522110 169695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	200	2	522515 169565
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	200	2	522200 169450
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	202	2	522515 169560
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	203	2	522115 169715
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	203	2	522505 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	203	2	522165 169470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	203	2	522145 169490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	204	2	522170 169465
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	205	2	522105 169695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	205	2	522220 169435
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	206	2	522490 169500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	206	2	522145 169485
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	207	2	522515 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	210	2	522160 169465
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	210	2	522495 169500
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	210	2	522515 169535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	210	2	522180 169450
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	211	2	522100 169700
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	211	2	522095 169685
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	211	2	522215 169430

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	213	2	522100 169705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	213	2	522155 169465
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	214	2	522105 169720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	215	2	522515 169525
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	215	2	522105 169725
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	216	2	522185 169440
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	216	2	522525 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	217	2	522520 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	217	2	522090 169690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	217	2	522470 169460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	217	2	522420 169425
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	218	2	522190 169435
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	220	2	522500 169490
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	221	2	522095 169715
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	221	2	522520 169520
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	221	2	522490 169475
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	222	2	522515 169510
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	222	2	522160 169450
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	223	2	522095 169720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	223	2	522500 169485
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	223	2	522220 169415
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	223	2	522165 169445

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	224	2	522520 169515
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	224	2	522185 169430
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	224	2	522145 169460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	224	2	522150 169455
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	225	2	522495 169475
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	225	2	522490 169470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	226	2	522530 169530
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	227	2	522085 169705
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	227	2	522180 169430
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	227	2	522165 169440
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	228	2	522090 169720
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	228	2	522145 169455
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	229	2	522090 169725
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	230	2	522075 169685
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	231	2	522510 169485
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	231	2	522130 169465
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	231	2	522135 169460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	232	2	522075 169690
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	232	2	522500 169470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	232	2	522540 169540
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	233	2	522080 169710
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	233	2	522155 169440

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	233	2	522195 169415
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	234	2	522085 169725
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	234	2	522540 169535
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	235	2	522515 169485
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	235	2	522070 169685
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	235	2	522545 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	236	2	522505 169470
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	236	2	522180 169420
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	238	2	522515 169480
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	238	2	522125 169460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	238	2	522130 169455
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	239	2	522145 169440
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	239	2	522500 169460
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	241	2	522210 169400
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	242	2	522520 169480
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	242	2	522140 169440
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	242	2	522175 169415
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	243	2	522065 169695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	243	2	522510 169465
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	244	2	522555 169545
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	245	2	522075 169730
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	246	2	522510 169460

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	247	2	522065 169710
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	247	2	522060 169695
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	247	2	522205 169395
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	248	2	522230 169385
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	248	2	522165 169415
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	249	2	522155 169420
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	250	2	522545 169505
	JBA 200 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	250	2	522160 169415
	JBA 200 Year Return (undefended) - Coastal None				
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SW)	0	2	522310 169636
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	0	2	522300 169635
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	0	2	522315 169625
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	2	2	522310 169615
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	4	2	522325 169636
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	9	2	522330 169630
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	11	2	522295 169655
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	14	2	522325 169660
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	18	2	522290 169655
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	19	2	522300 169675
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	20	2	522280 169636
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	22	2	522315 169680
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	29	2	522280 169660

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	30	2	522340 169595
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	32	2	522285 169680
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	33	2	522355 169620
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	35	2	522275 169665
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	36	2	522315 169695
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	38	2	522295 169585
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	41	2	522335 169580
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	41	2	522305 169700
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	42	2	522310 169575
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	42	2	522295 169580
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	44	2	522270 169590
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	44	2	522260 169600
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	44	2	522355 169665
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	44	2	522365 169610
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	45	2	522275 169585
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	47	2	522265 169590
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	47	2	522300 169705
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	47	2	522360 169660
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	48	2	522350 169580
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	52	2	522320 169565
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	54	2	522330 169565
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	54	2	522260 169680

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	55	2	522355 169575
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	56	2	522375 169600
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	57	2	522240 169620
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	57	2	522315 169560
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	58	2	522380 169620
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	60	2	522335 169560
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	63	2	522290 169560
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	66	2	522340 169555
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	67	2	522235 169600
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (E)	67	2	522380 169660
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	69	2	522235 169655
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	73	2	522270 169720
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	73	2	522345 169550
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	74	2	522300 169545
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	75	2	522285 169730
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	75	2	522240 169575
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	77	2	522220 169635
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	79	2	522240 169695
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	80	2	522385 169570
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	80	2	522390 169675
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	81	2	522355 169545
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	81	2	522280 169735

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	82	2	522315 169535
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (S)	87	2	522325 169530
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	87	2	522210 169615
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	90	2	522255 169730
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	91	2	522290 169530
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	95	2	522220 169690
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	96	2	522225 169705
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	96	2	522415 169595
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	97	2	522200 169625
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	97	2	522265 169745
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	98	2	522215 169685
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	99	2	522375 169535
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	99	2	522335 169520
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	99	2	522285 169755
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	100	2	522205 169585
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	101	2	522200 169595
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	101	2	522290 169520
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	104	2	522260 169750
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	104	2	522425 169605
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	105	2	522425 169600
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	106	2	522345 169515
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	107	2	522425 169590

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	108	2	522190 169610
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	109	2	522205 169690
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	109	2	522355 169515
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	113	2	522435 169615
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (W)	116	2	522185 169595
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	117	2	522270 169510
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	117	2	522365 169510
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	117	2	522235 169525
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	119	2	522200 169705
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	121	2	522245 169515
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	122	2	522400 169525
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	122	2	522175 169636
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	122	2	522175 169625
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	126	2	522375 169505
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	131	2	522270 169495
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	132	2	522190 169715
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	135	2	522385 169500
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	136	2	522190 169540
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	136	2	522415 169520
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	136	2	522410 169515
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	137	2	522160 169630
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	137	2	522380 169495

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	138	2	522160 169610
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	142	2	522155 169615
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	143	2	522425 169520
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	143	2	522415 169510
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	144	2	522395 169495
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	146	2	522305 169805
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	146	2	522265 169480
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	147	2	522150 169620
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	148	2	522210 169505
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	150	2	522420 169505
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	150	2	522390 169485
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	151	2	522150 169590
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	152	2	522155 169680
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	152	2	522210 169500
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	155	2	522400 169485
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	160	2	522180 169515
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	161	2	522170 169525
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	161	2	522175 169520
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	161	2	522435 169505
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	161	2	522140 169590
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	162	2	522135 169625
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	163	2	522205 169490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	165	2	522135 169655
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	167	2	522130 169630
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	168	2	522430 169490
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	168	2	522160 169735
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	171	2	522165 169515
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	171	2	522450 169505
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	173	2	522470 169530
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	175	2	522440 169490
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	176	2	522490 169565
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	176	2	522315 169835
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	176	2	522125 169660
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	177	2	522475 169530
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	177	2	522120 169635
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	178	2	522470 169520
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 1.0m	A13SW (SW)	178	2	522180 169490
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	179	2	522435 169480
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	180	2	522235 169455
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	180	2	522475 169525
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	182	2	522120 169665
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	182	2	522475 169520
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	183	2	522285 169840
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	185	2	522170 169490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	185	2	522195 169470
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	186	2	522140 169735
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	187	2	522320 169430
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	188	2	522485 169525
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	189	2	522480 169515
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	191	2	522305 169850
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	191	2	522485 169520
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	191	2	522135 169735
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	192	2	522155 169495
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	192	2	522460 169485
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	192	2	522190 169465
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	195	2	522110 169680
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	196	2	522505 169550
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	196	2	522305 169855
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	196	2	522485 169510
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	197	2	522105 169670
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	200	2	522450 169465
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	203	2	522145 169490
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	205	2	522220 169435
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	205	2	522230 169430
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	206	2	522205 169440
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	206	2	522215 169435

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	207	2	522495 169505
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	207	2	522475 169480
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	209	2	522530 169600
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	210	2	522145 169480
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	210	2	522155 169470
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	213	2	522505 169510
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	214	2	522465 169460
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	214	2	522480 169475
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	215	2	522415 169425
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	218	2	522505 169500
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	220	2	522140 169470
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	220	2	522145 169465
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (N)	221	2	522310 169880
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	222	2	522535 169555
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	222	2	522210 169420
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	223	2	522095 169720
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	223	2	522080 169675
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	224	2	522140 169465
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	225	2	522490 169470
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	228	2	522520 169505
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	229	2	522090 169725
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	229	2	522540 169550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	229	2	522205 169415
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	230	2	522075 169685
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	230	2	522215 169410
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	232	2	522495 169465
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	233	2	522195 169415
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	235	2	522535 169520
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	236	2	522325 169895
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	236	2	522520 169490
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	236	2	522505 169470
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	238	2	522135 169450
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	238	2	522140 169445
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (N)	238	2	522235 169885
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	238	2	522160 169430
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	239	2	522500 169460
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	241	2	522125 169455
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	241	2	522130 169450
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	241	2	522210 169400
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	242	2	522190 169870
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	242	2	522545 169525
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	242	2	522530 169495
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	243	2	522165 169420
	JBA 1000 Year Return (undefended) - Pluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (N)	245	2	522245 169895

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	245	2	522550 169530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	245	2	522055 169660
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	247	2	522400 169385
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	247	2	522530 169485
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	248	2	522230 169385
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	0	2	522310 169650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	0	2	522310 169655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SW)	0	2	522310 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (W)	0	2	522310 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	0	2	522310 169640
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	0	2	522315 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	0	2	522300 169630
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	0	2	522300 169635
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	0	2	522310 169635
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	0	2	522315 169635
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	0	2	522315 169625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	0	2	522320 169625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	0	2	522310 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	0	2	522310 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	0	2	522320 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	1	2	522320 169635
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	2	2	522315 169615

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	2	2	522320 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	2	2	522295 169625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	3	2	522325 169625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	3	2	522325 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (N)	4	2	522315 169660
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	5	2	522320 169645
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	5	2	522325 169615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	7	2	522300 169650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	8	2	522320 169610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	9	2	522330 169630
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	10	2	522300 169660
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	11	2	522295 169650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NE (NE)	11	2	522325 169650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	12	2	522290 169615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	13	2	522285 169635
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	13	2	522335 169630
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	14	2	522310 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	15	2	522295 169660
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	16	2	522330 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	17	2	522285 169640
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	17	2	522315 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	17	2	522310 169600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	19	2	522280 169615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	19	2	522335 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	19	2	522325 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	20	2	522280 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	21	2	522285 169650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	21	2	522330 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	22	2	522285 169655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	22	2	522340 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	22	2	522275 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	22	2	522300 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	23	2	522345 169625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	27	2	522345 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	27	2	522335 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	28	2	522320 169685
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	28	2	522330 169680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	28	2	522295 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	29	2	522280 169660
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	31	2	522340 169670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	31	2	522350 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	32	2	522285 169680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	32	2	522265 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	32	2	522310 169585

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	32	2	522315 169585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	33	2	522355 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	33	2	522270 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	33	2	522325 169585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (N)	34	2	522325 169690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	34	2	522345 169665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	34	2	522265 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	34	2	522355 169610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	34	2	522280 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	35	2	522275 169665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (N)	36	2	522330 169690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (NE)	36	2	522340 169680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	36	2	522270 169670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NE (NE)	36	2	522345 169670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	36	2	522355 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	36	2	522355 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	36	2	522270 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	37	2	522345 169675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	37	2	522310 169580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	40	2	522350 169670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	40	2	522270 169665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	40	2	522260 169640

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	41	2	522345 169585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	41	2	522300 169580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	42	2	522295 169580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	42	2	522255 169625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	42	2	522255 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	42	2	522260 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	43	2	522365 169625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	43	2	522365 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	43	2	522365 169615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	43	2	522325 169575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	44	2	522260 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	44	2	522365 169610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (S)	44	2	522305 169575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (E)	45	2	522360 169650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	45	2	522255 169640
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	45	2	522365 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	46	2	522265 169670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	46	2	522365 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	46	2	522255 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	46	2	522335 169575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	47	2	522270 169685
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	47	2	522255 169645

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	48	2	522370 169615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	48	2	522255 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	49	2	522365 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	50	2	522345 169575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	51	2	522365 169655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (S)	51	2	522335 169570
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	52	2	522245 169635
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NE (NE)	54	2	522365 169665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NE (E)	54	2	522370 169650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	54	2	522245 169610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	54	2	522370 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	55	2	522250 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	55	2	522355 169575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (S)	55	2	522335 169565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	56	2	522245 169645
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	57	2	522240 169630
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	57	2	522240 169625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	57	2	522350 169570
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	58	2	522380 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	58	2	522240 169615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	58	2	522380 169615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	58	2	522360 169575

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	59	2	522260 169690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	59	2	522255 169680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	59	2	522240 169610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	59	2	522345 169565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	60	2	522380 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	60	2	522375 169590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	61	2	522350 169565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	62	2	522250 169675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	62	2	522240 169650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	62	2	522365 169575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	62	2	522340 169560
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	63	2	522255 169690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	63	2	522380 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	64	2	522240 169655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	65	2	522370 169575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	68	2	522230 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	68	2	522390 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	68	2	522345 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	69	2	522235 169655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	69	2	522240 169585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	70	2	522250 169695
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	72	2	522240 169675

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	72	2	522375 169570
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	72	2	522370 169565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	73	2	522235 169665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	73	2	522230 169655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	73	2	522395 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	74	2	522235 169670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	74	2	522395 169610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	74	2	522360 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	75	2	522245 169570
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	76	2	522375 169565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	76	2	522370 169560
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	77	2	522220 169625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	78	2	522305 169540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	78	2	522220 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	78	2	522400 169625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	78	2	522400 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	78	2	522400 169615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	78	2	522390 169580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	79	2	522400 169610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	79	2	522395 169590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	79	2	522380 169565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	79	2	522360 169550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	80	2	522225 169660
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	81	2	522240 169700
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	81	2	522230 169675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	81	2	522365 169550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	82	2	522320 169535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	82	2	522400 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	83	2	522230 169680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	83	2	522405 169615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	83	2	522400 169590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	85	2	522400 169585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	86	2	522365 169545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	86	2	522240 169710
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	86	2	522405 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	86	2	522230 169570
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	87	2	522225 169680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	87	2	522210 169625
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	87	2	522400 169580
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	87	2	522225 169575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	88	2	522410 169610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	89	2	522245 169720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	91	2	522410 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	92	2	522245 169725

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	92	2	522205 169630
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (S)	93	2	522270 169535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	93	2	522235 169715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	93	2	522215 169670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	93	2	522415 169620
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	93	2	522385 169550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	95	2	522220 169690
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	95	2	522215 169675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	96	2	522205 169650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	96	2	522415 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	97	2	522230 169715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	97	2	522220 169695
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	98	2	522380 169540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	98	2	522215 169685
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	99	2	522405 169565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	100	2	522235 169725
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	100	2	522420 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	100	2	522210 169575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	101	2	522420 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	101	2	522400 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (W)	102	2	522195 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	103	2	522220 169710

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	103	2	522200 169590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	103	2	522415 169575
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	103	2	522410 169565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	104	2	522425 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (E)	105	2	522425 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	106	2	522410 169560
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	107	2	522350 169515
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	107	2	522190 169636
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	107	2	522425 169590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	107	2	522205 169570
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	107	2	522220 169550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	108	2	522210 169700
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	108	2	522190 169640
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	108	2	522405 169550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	109	2	522410 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	111	2	522395 169535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	111	2	522205 169695
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	111	2	522190 169655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	112	2	522200 169685
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	113	2	522195 169675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	113	2	522185 169640
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	113	2	522435 169615

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	113	2	522415 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	114	2	522220 169730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	114	2	522355 169510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	114	2	522420 169560
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	115	2	522400 169535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	116	2	522285 169505
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	116	2	522435 169595
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	116	2	522415 169550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	117	2	522210 169720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	117	2	522420 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	118	2	522410 169540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	118	2	522440 169615
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	119	2	522415 169545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	119	2	522200 169705
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	119	2	522440 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	119	2	522185 169585
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	119	2	522425 169560
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	120	2	522440 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	121	2	522205 169720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	121	2	522425 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	123	2	522420 169545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	123	2	522200 169715

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	123	2	522280 169500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	124	2	522195 169705
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	124	2	522175 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	125	2	522415 169535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	125	2	522190 169695
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	125	2	522185 169680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	125	2	522215 169530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	126	2	522420 169540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	126	2	522375 169505
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	126	2	522270 169500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	126	2	522430 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	127	2	522365 169500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (W)	127	2	522175 169590
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	127	2	522190 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	128	2	522190 169705
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	128	2	522170 169605
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	128	2	522430 169550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	129	2	522420 169535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	129	2	522170 169645
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	129	2	522450 169600
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	130	2	522185 169695
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	130	2	522170 169650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	132	2	522435 169550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	132	2	522190 169715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	132	2	522410 169520
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	133	2	522425 169535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	133	2	522165 169610
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	134	2	522430 169540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	134	2	522440 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	135	2	522435 169545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	135	2	522385 169500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	136	2	522410 169515
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	136	2	522420 169525
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	136	2	522165 169655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	137	2	522440 169550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	138	2	522250 169495
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	138	2	522435 169540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	139	2	522160 169650
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	140	2	522185 169540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	140	2	522160 169655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	141	2	522435 169535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	141	2	522450 169560
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	143	2	522425 169520
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	144	2	522435 169530

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	145	2	522450 169550
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	147	2	522180 169535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	148	2	522160 169680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	150	2	522430 169515
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	150	2	522230 169490
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	154	2	522440 169520
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	155	2	522175 169735
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	155	2	522160 169700
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	155	2	522145 169655
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	157	2	522170 169730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	157	2	522165 169720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	157	2	522175 169525
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	157	2	522440 169515
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	157	2	522435 169510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	158	2	522445 169520
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	159	2	522150 169685
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	159	2	522400 169480
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	161	2	522465 169545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	161	2	522440 169510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	162	2	522145 169680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	162	2	522235 169475
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	163	2	522470 169550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (S)	163	2	522245 169470
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	164	2	522165 169735
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	164	2	522170 169520
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	165	2	522470 169545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	167	2	522135 169665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	167	2	522245 169465
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	168	2	522470 169540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	168	2	522150 169710
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	168	2	522140 169685
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	169	2	522150 169715
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	169	2	522410 169475
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	170	2	522470 169535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	170	2	522155 169730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	171	2	522165 169515
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	172	2	522455 169510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	172	2	522190 169490
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	175	2	522150 169730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	176	2	522140 169705
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	177	2	522125 169665
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (W)	177	2	522120 169635
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 1.0m	A13SW (SW)	178	2	522180 169490
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	179	2	522480 169535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	179	2	522125 169675
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	180	2	522490 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	181	2	522145 169735
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	182	2	522140 169725
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	182	2	522135 169710
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	183	2	522120 169670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	183	2	522465 169505
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	183	2	522495 169560
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	184	2	522480 169525
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	184	2	522495 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	186	2	522145 169745
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (NW)	186	2	522140 169735
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	189	2	522480 169515
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	189	2	522155 169500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	189	2	522460 169490
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	189	2	522500 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13NW (W)	190	2	522125 169705
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (NW)	191	2	522135 169735
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	191	2	522475 169505
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	192	2	522130 169725
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	192	2	522480 169510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	192	2	522110 169670

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	193	2	522135 169740
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	193	2	522490 169525
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	193	2	522330 169425
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	195	2	522500 169540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	195	2	522495 169530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	195	2	522110 169680
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	196	2	522150 169495
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	196	2	522465 169485
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	197	2	522175 169470
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (S)	199	2	522235 169435
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	199	2	522120 169720
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	199	2	522165 169475
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	200	2	522110 169695
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (E)	200	2	522515 169565
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	202	2	522485 169500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	202	2	522515 169560
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	202	2	522440 169455
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	203	2	522505 169530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	203	2	522475 169485
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (E)	203	2	522515 169555
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	206	2	522115 169725
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	206	2	522145 169485

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	207	2	522515 169545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	207	2	522480 169485
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	207	2	522165 169465
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SW (SW)	210	2	522180 169450
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	210	2	522515 169535
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	210	2	522495 169500
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	211	2	522100 169700
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	212	2	522090 169670
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	213	2	522210 169430
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	213	2	522495 169495
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	214	2	522345 169405
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	215	2	522195 169435
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (NW)	215	2	522105 169725
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	215	2	522515 169525
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	217	2	522520 169530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	217	2	522200 169430
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	218	2	522190 169435
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	218	2	522220 169420
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (S)	218	2	522340 169400
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	220	2	522500 169490
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	221	2	522530 169545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	221	2	522490 169475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	221	2	522150 169460
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	222	2	522160 169450
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	222	2	522495 169480
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	224	2	522185 169430
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	224	2	522520 169515
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	224	2	522475 169455
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	225	2	522495 169475
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	226	2	522530 169530
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	226	2	522520 169510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	227	2	522165 169440
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	228	2	522150 169450
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	228	2	522195 169420
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	229	2	522155 169445
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	230	2	522175 169430
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (NW)	231	2	522090 169730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	231	2	522510 169485
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	231	2	522130 169465
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	232	2	522540 169540
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	232	2	522500 169470
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	233	2	522185 169420
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13NW (W)	234	2	522085 169725
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	234	2	522540 169535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	234	2	522130 169460
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	234	2	522135 169455
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	235	2	522545 169545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	235	2	522515 169485
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	236	2	522505 169470
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	237	2	522195 169410
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	237	2	522510 169475
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SE (SE)	238	2	522490 169450
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	238	2	522515 169480
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	238	2	522125 169460
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	238	2	522130 169455
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.3m and Less than or equal to 1.0m	A13SE (SE)	239	2	522535 169510
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13NW (W)	241	2	522080 169730
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	241	2	522210 169400
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	241	2	522515 169475
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SW (SW)	242	2	522175 169415
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (E)	244	2	522555 169545
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SE (SE)	245	2	522520 169475
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.01m and Less than or equal to 0.05m	A13SW (SW)	246	2	522185 169405
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	246	2	522525 169480
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.05m and Less than or equal to 0.1m	A13SE (SE)	246	2	522510 169460
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13NW (W)	247	2	522060 169695

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	JBA 1000 Year Return (undefended) - Fluvial Flood Depth: Greater than 0.1m and Less than or equal to 0.3m	A13SW (SW)	247	2	522205 169395
	JBA 1000 Year Return (undefended) - Coastal None				
	JBA Canal Failure Coverage Coverage: This area has been mapped for risk of flooding from canal or aqueduct failure or breach. Please note that all canals in this area may not have been mapped for failure or breach.	A13SE (SW)	0	2	522310 169636
	JBA Canal Failure None				
	JBA Dam Break Coverage Coverage: This area has been mapped for flooding from dam or reservoir embankment failure or breach.	A13SE (SW)	0	2	522310 169636
	JBA Dam Break None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Lower flood potential from rivers: areas affected by secondary flooding in extreme cases as a result of a prolonged flood event. Code:	A13SE (SW)	0	3	522310 169636
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Higher flood potential from rivers: the first areas to experience the effects of inland flooding in a river catchment. Code:	A12SE (W)	377	3	521921 169597
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Lower flood potential from rivers: areas affected by secondary flooding in extreme cases as a result of a prolonged flood event. Code:	A17SE (NW)	562	3	521863 170000
	BGS Geological Indicators of Flooding Flooding Type: Inland Flooding Flood Potential: Higher flood potential from rivers: the first areas to experience the effects of inland flooding in a river catchment. Code:	A17SE (NW)	596	3	521821 170000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13SE (SW)	0	3	522310 169636
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NW (S)	324	3	522250 169300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A8NW (S)	367	3	522300 169250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18SE (N)	393	3	522350 170050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NW (S)	417	3	522300 169200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18SE (N)	443	3	522350 170100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8NE (S)	467	3	522310 169150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NE (S)	468	3	522350 169150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SE (NE)	486	3	522600 170050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SE (NE)	502	3	522550 170100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A19SW (NE)	517	3	522650 170050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SE (NE)	527	3	522600 170100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NE (SE)	567	3	522550 169100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NE (S)	567	3	522310 169050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NE (S)	568	3	522350 169050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A17SE (NW)	572	3	521850 170000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8NE (SE)	589	3	522600 169100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A9NW (SE)	614	3	522650 169100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (NW)	631	3	521750 169950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A9NW (SE)	635	3	522750 169150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8SE (S)	667	3	522310 168950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A8SE (S)	668	3	522350 168950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A19SW (NE)	693	3	522800 170150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A9NW (SE)	714	3	522900 169200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A17SE (NW)	745	3	521750 170150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8SW (S)	765	3	522050 168900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A8SE (S)	772	3	522400 168850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A7SE (SW)	803	3	521950 168900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A9NE (SE)	816	3	523050 169250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A17SE (NW)	849	3	521700 170250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A19NW (NE)	876	3	522850 170350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18NW (N)	891	3	522300 170550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18NE (N)	891	3	522310 170550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18NE (N)	892	3	522350 170550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A19SE (NE)	905	3	523150 170000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A9SW (SE)	918	3	522950 168950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A9NE (E)	934	3	523200 169300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14NE (E)	935	3	523200 169950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A19NW (N)	953	3	522650 170550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A19NW (NE)	993	3	522750 170550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A17SW (NW)	994	3	521550 170300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A13SE (SW)	0	2	522310 169636
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A13NW (N)	76	2	522305 169735
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A13NE (NE)	78	2	522365 169715
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A13SE (E)	143	2	522465 169620
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A13SE (E)	158	2	522480 169620
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A13SE (E)	248	2	522570 169605
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A13SE (E)	254	2	522575 169600
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A13SE (E)	272	2	522590 169570
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A13SE (E)	305	2	522620 169555
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A13SE (E)	321	2	522635 169550
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SW (E)	335	2	522650 169550
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A13SW (SW)	360	2	522015 169400
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SE (W)	374	2	521925 169590
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SE (W)	377	2	521920 169605
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SE (W)	382	2	521915 169620

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12SE (W)	387	2	521910 169636
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	392	2	521905 169645
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	399	2	521900 169660
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	405	2	521895 169675
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12SE (W)	408	2	521910 169495
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	412	2	521890 169690
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	420	2	521885 169705
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	428	2	521880 169720
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	436	2	521875 169735
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (E)	439	2	522735 169470
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	443	2	522715 169415
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	445	2	521870 169750
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (E)	447	2	522745 169475
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	454	2	521865 169765
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8NW (SW)	454	2	521990 169290

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	464	2	521860 169780
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SW (E)	466	2	522760 169460
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SW (E)	467	2	522765 169470
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	472	2	522745 169410
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	474	2	521855 169795
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (W)	482	2	521850 169805
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12NE (W)	491	2	521840 169805
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12NE (NW)	497	2	521855 169860
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	499	2	522775 169410
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	505	2	522790 169430
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12SE (W)	513	2	521820 169435
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	515	2	522795 169415
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SW (SE)	527	2	522810 169420
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	533	2	522810 169405

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12NE (W)	542	2	521760 169700
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A12NE (NW)	560	2	521825 169940
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SW (SE)	562	2	522840 169400
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SW (SE)	572	2	522850 169400
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A7NE (SW)	577	2	521880 169225
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	584	2	522850 169370
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12NE (W)	585	2	521755 169845
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A7NE (SW)	592	2	521950 169145
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12NE (NW)	593	2	521775 169915
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12NE (W)	597	2	521750 169865
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	604	2	522870 169365
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	604	2	522875 169375
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A17SE (NW)	605	2	521800 169985
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12NE (W)	607	2	521735 169855

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A7NE (SW)	608	2	521950 169125
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A7NE (SW)	609	2	521955 169120
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8NW (SW)	609	2	521980 169105
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8NW (SW)	610	2	521985 169100
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8NW (SW)	610	2	521995 169095
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A7NE (SW)	611	2	521960 169115
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	613	2	522865 169335
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12NE (NW)	614	2	521780 169970
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8NW (SW)	621	2	521990 169085
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12NE (NW)	621	2	521775 169975
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	624	2	522880 169340
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A17SE (NW)	628	2	521770 169980
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NW (SE)	631	2	522750 169155
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NW (SE)	639	2	522825 169225

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	653	2	522895 169305
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12SE (SW)	663	2	521700 169335
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NW (SE)	674	2	522850 169200
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	683	2	522950 169350
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NW (SE)	683	2	522890 169240
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	684	2	521805 170120
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	690	2	521805 170130
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A8SW (S)	700	2	522140 168940
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12SE (SW)	701	2	521650 169355
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12SE (W)	702	2	521645 169365
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A14SW (SE)	707	2	522970 169335
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	708	2	521810 170160
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NW (SE)	711	2	522930 169250
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NW (SE)	712	2	522940 169265

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A8SW (S)	713	2	522190 168915
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A17SE (NW)	714	2	521740 170090
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NW (SE)	716	2	522815 169100
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NW (SE)	722	2	522970 169300
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	722	2	521815 170185
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NW (SE)	725	2	522955 169265
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NW (SE)	729	2	522970 169285
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NW (SE)	737	2	522960 169250
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A8SW (S)	740	2	522155 168895
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NW (SE)	743	2	522970 169255
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NW (SE)	745	2	522975 169260
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NW (SE)	748	2	522830 169070
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A17SE (NW)	750	2	521730 170135
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A8SW (S)	753	2	522140 168885
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NE (SE)	754	2	522990 169270

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NW (SE)	759	2	522930 169165
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12SW (W)	772	2	521530 169535
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12SW (W)	774	2	521530 169520
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17SE (NW)	775	2	521820 170260
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12SW (W)	780	2	521520 169560
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NW (SE)	782	2	522830 169025
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A17SE (NW)	782	2	521765 170220
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12SW (W)	787	2	521515 169535
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A17SE (NW)	803	2	521760 170245
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A12SW (W)	806	2	521500 169505
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NW (SE)	816	2	522830 168980
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NW (SE)	817	2	522825 168975
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	822	2	522115 168820
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9SW (SE)	829	2	522825 168960
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NW (SE)	830	2	522940 169065

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	831	2	522165 168800
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17NE (NW)	832	2	521805 170320
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	835	2	522245 168785
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	841	2	522240 168780
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	846	2	522235 168775
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NE (SE)	853	2	523070 169210
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	855	2	522245 168765
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	857	2	522225 168765
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	862	2	522220 168760
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9SW (SE)	863	2	522855 168940
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9SW (SE)	870	2	522860 168935
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	877	2	522185 168750
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9SW (SE)	878	2	522825 168900
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	898	2	522180 168730

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A17SE (NW)	902	2	521685 170310
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SE (E)	904	2	523185 169350
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9SW (SE)	907	2	522875 168900
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	907	2	522185 168720
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9SW (SE)	918	2	522945 168945
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	922	2	522185 168705
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A17NE (NW)	935	2	521680 170350
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	939	2	522200 168685
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A8SW (S)	942	2	522180 168685
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NE (SE)	944	2	523180 169225
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A8SE (S)	945	2	522470 168685
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SE (S)	947	2	522310 168670
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9SW (SE)	948	2	522855 168835
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9SW (SE)	949	2	522850 168830
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9NE (SE)	954	2	523195 169235

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9SW (SE)	954	2	522820 168805
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SE (E)	955	2	523240 169355
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A8SE (S)	955	2	522475 168675
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	957	2	522305 168660
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SE (S)	957	2	522315 168660
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NE (SE)	957	2	523080 169035
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9SW (SE)	958	2	522865 168830
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A8SW (S)	964	2	522200 168660
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A9SW (SE)	969	2	522815 168785
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NE (SE)	973	2	523190 169180
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9SW (SE)	976	2	522845 168795
	GeoSmart Information Groundwater Flood Data Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A14SE (E)	977	2	523265 169365
	GeoSmart Information Groundwater Flood Data Risk: Moderate Risk Risk Details: There is a moderate risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.	A17NE (NW)	977	2	521750 170460
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9NE (SE)	979	2	523220 169230
	GeoSmart Information Groundwater Flood Data Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.	A9SW (SE)	981	2	522870 168805

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>GeoSmart Information Groundwater Flood Data</p> <p>Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.</p>	A8SE (S)	987	2	522515 168650
	<p>GeoSmart Information Groundwater Flood Data</p> <p>Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.</p>	A9SW (SE)	988	2	522835 168775
	<p>GeoSmart Information Groundwater Flood Data</p> <p>Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.</p>	A9SW (SE)	989	2	522845 168780
	<p>GeoSmart Information Groundwater Flood Data</p> <p>Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.</p>	A8SE (S)	991	2	522510 168645
	<p>GeoSmart Information Groundwater Flood Data</p> <p>Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.</p>	A8SE (S)	995	2	522505 168640
	<p>GeoSmart Information Groundwater Flood Data</p> <p>Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.</p>	A3NE (S)	997	2	522310 168620
	<p>GeoSmart Information Groundwater Flood Data</p> <p>Risk: Negligible Risk Risk Details: There is a negligible risk of groundwater flooding in this area and any groundwater flooding incidence has a chance of less than 1 in 100 (<1%) probability of occurrence.</p>	A3NE (S)	997	2	522345 168620
	<p>GeoSmart Information Groundwater Flood Data</p> <p>Risk: Low Risk Risk Details: There is a low risk of groundwater flooding in this area with a chance of greater than 1 in 100 (>1%) probability of occurrence.</p>	A8SE (S)	999	2	522500 168635

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 170.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A13NE (E)	6	4	522322 169639
2	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: Underground Primacy: 1 Permanent: True Catchment Name: Thames	A13NW (N)	139	4	522300 169797
3	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 61.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A13NW (N)	146	4	522300 169804
4	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 84.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A13NW (N)	216	4	522264 169871
5	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 41.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	368	4	521944 169519
6	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 306.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	368	4	521943 169523
7	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 125.4 Watercourse Level: Not Supplied Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	368	4	521944 169519
8	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 75.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (SW)	370	4	521957 169480
9	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 232.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A13SW (SW)	384	4	521980 169408

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 67.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (SW)	477	4	521864 169423
11	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 51.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (SW)	477	4	521864 169423
12	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 71.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12NE (W)	486	4	521847 169809
13	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12NE (W)	486	4	521847 169809
14	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 54.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	500	4	521823 169465
15	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 6.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (SW)	517	4	521860 169347
16	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 34.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (SW)	520	4	521855 169350
17	OS Water Network Lines Watercourse Name: Coombe Brook Watercourse Form: Inland river Watercourse Length: 169.1 Watercourse Level: Not Supplied Primacy: 1 Permanent: True Catchment Name: Thames	A12NE (W)	524	4	521813 169826
18	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 58.1 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12NE (NW)	525	4	521833 169879

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 2.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12NE (W)	532	4	521774 169719
20	OS Water Network Lines Watercourse Name: Coombe Brook Watercourse Form: Inland river Watercourse Length: 3.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12NE (W)	533	4	521773 169721
21	OS Water Network Lines Watercourse Name: Coombe Brook Watercourse Form: Inland river Watercourse Length: 180.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12NE (W)	534	4	521771 169718
22	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 16.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	536	4	521781 169477
23	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 2.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (SW)	537	4	521825 169368
24	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 9.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (SW)	538	4	521823 169369
25	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 1.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8NW (SW)	543	4	521978 169186
26	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 62.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8NW (SW)	544	4	521978 169184
27	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 70.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8NW (S)	546	4	522156 169095

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 58.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (SW)	547	4	521817 169362
29	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 724.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12NE (NW)	561	4	521822 169936
30	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 50.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	571	4	521732 169542
31	OS Water Network Lines Watercourse Name: Coombe Brook Watercourse Form: Inland river Watercourse Length: 20.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	571	4	521732 169542
32	OS Water Network Lines Watercourse Name: Coombe Brook Watercourse Form: Inland river Watercourse Length: 1.6 Watercourse Level: Not Supplied Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	579	4	521727 169522
33	OS Water Network Lines Watercourse Name: Coombe Brook Watercourse Form: Inland river Watercourse Length: 61.1 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	580	4	521727 169520
34	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8NW (SW)	582	4	521996 169126
35	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 188.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8NW (SW)	582	4	521996 169126
36	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 36.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	587	4	521747 169418

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 64.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A8NW (SW)	589	4	521995 169119
38	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 39.8 Watercourse Level: Underground Primacy: 1 Permanent: True Catchment Name: Thames</p>	A12SE (W)	596	4	521733 169431
39	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 87.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A12SE (SW)	602	4	521779 169317
40	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Lake Watercourse Length: 13.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A12SE (W)	602	4	521736 169405
41	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 244.4 Watercourse Level: On ground surface Primacy: 2 Permanent: True Catchment Name: Thames</p>	A7NE (SW)	613	4	521860 169194
42	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 11.1 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A12SE (W)	614	4	521705 169459
43	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 2.9 Watercourse Level: Underground Primacy: 1 Permanent: True Catchment Name: Thames</p>	A12SE (W)	615	4	521685 169560
44	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 42.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A12SE (W)	618	4	521683 169561
45	<p>OS Water Network Lines</p> <p>Watercourse Name: Coombe Brook Watercourse Form: Inland river Watercourse Length: 2.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A12SE (W)	619	4	521698 169467

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
46	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 78.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NE (SW)	622	4	521941 169114
47	OS Water Network Lines Watercourse Name: Coombe Brook Watercourse Form: Inland river Watercourse Length: 1.3 Watercourse Level: Not Supplied Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	622	4	521696 169465
48	OS Water Network Lines Watercourse Name: Coombe Brook Watercourse Form: Inland river Watercourse Length: 103.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	623	4	521695 169464
49	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 36.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NE (SW)	625	4	521937 169114
50	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 4.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NE (SW)	625	4	521937 169114
51	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 39.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NE (SW)	630	4	521946 169102
52	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 40.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	631	4	521666 169613
53	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 77.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8NW (S)	633	4	522131 169013
54	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 18.2 Watercourse Level: On ground surface Primacy: 2 Permanent: True Catchment Name: Thames	A7NE (SW)	645	4	521968 169069

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
55	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 10.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NE (SW)	645	4	521968 169069
56	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 29.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8NW (SW)	648	4	521985 169056
57	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 20.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NE (SW)	649	4	521948 169077
58	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 69.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SE (W)	653	4	521645 169578
59	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 18.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NE (SW)	662	4	521955 169058
60	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 103.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8NW (SW)	663	4	522012 169025
61	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 40.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8NW (SW)	663	4	522024 169021
62	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 2.4 Watercourse Level: Underground Primacy: 1 Permanent: True Catchment Name: Thames	A8NW (SW)	663	4	522017 169023
63	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 37.1 Watercourse Level: On ground surface Primacy: 2 Permanent: True Catchment Name: Thames	A7NE (SW)	674	4	521960 169040

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
64	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 124.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A7NE (SW)	685	4	521755 169205
65	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 4.7 Watercourse Level: Underground Primacy: 1 Permanent: True Catchment Name: Thames</p>	A7NE (SW)	685	4	521753 169209
66	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 58.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A7NE (SW)	685	4	521748 169215
67	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 16.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A7NE (SW)	687	4	521716 169258
68	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 2.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A7NE (SW)	687	4	521717 169256
69	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 28.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A7NE (SW)	696	4	521890 169060
70	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 63.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A12SW (W)	698	4	521607 169520
71	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A12SW (W)	699	4	521606 169521
72	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 59.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A7NE (SW)	701	4	521910 169040

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
73	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 85.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NE (SW)	701	4	521910 169040
74	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 52.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8SW (S)	702	4	522136 168938
75	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NE (SW)	703	4	521702 169249
76	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 1.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NE (SW)	703	4	521702 169249
77	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 60.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7NE (SW)	704	4	521719 169223
78	OS Water Network Lines Watercourse Name: Coombe Brook Watercourse Form: Inland river Watercourse Length: 1.2 Watercourse Level: Not Supplied Primacy: 1 Permanent: True Catchment Name: Thames	A12SW (W)	713	4	521624 169388
79	OS Water Network Lines Watercourse Name: Coombe Brook Watercourse Form: Inland river Watercourse Length: 444.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SW (W)	714	4	521623 169387
80	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 180.3 Watercourse Level: On ground surface Primacy: 2 Permanent: True Catchment Name: Thames	A12NW (W)	732	4	521566 169646
81	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 35.1 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SW (W)	743	4	521570 169473

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
82	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 1.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SW (W)	743	4	521570 169473
83	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 166.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SW (W)	747	4	521550 169627
84	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 345.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8SW (S)	748	4	522150 168888
85	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 228.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8SW (S)	748	4	522150 168888
86	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 1.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12NW (W)	748	4	521550 169665
87	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 4.5 Watercourse Level: Underground Primacy: 1 Permanent: True Catchment Name: Thames	A8SW (SW)	750	4	521982 168944
88	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 27.1 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8SW (SW)	754	4	521982 168940
89	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 69.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SW (W)	774	4	521536 169481
90	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 21.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SW (W)	774	4	521536 169481

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
91	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 44.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	820	4	522275 170479
92	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 190.6 Watercourse Level: Not Supplied Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	822	4	522232 170477
93	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 21.1 Watercourse Level: On ground surface Primacy: 2 Permanent: True Catchment Name: Thames	A12SW (W)	834	4	521483 169442
94	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 25.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SW (W)	843	4	521471 169459
95	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 76.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	854	4	522041 170469
96	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: Underground Primacy: 1 Permanent: True Catchment Name: Thames	A12SW (W)	856	4	521454 169478
97	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 28.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12SW (W)	858	4	521451 169481
98	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 24.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A9SW (SE)	864	4	522855 168939
99	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 75.4 Watercourse Level: Not Supplied Primacy: 1 Permanent: True Catchment Name: Thames	A12SW (W)	874	4	521432 169502

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
100	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 255.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A17NE (NW)	900	4	521735 170351
101	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 7.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A9SW (SE)	906	4	522878 168903
102	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 16.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A12SW (W)	907	4	521392 169566
103	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 99.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A18NW (N)	910	4	522277 170569
104	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 115.8 Watercourse Level: Not Supplied Primacy: 1 Permanent: True Catchment Name: Thames</p>	A12SW (W)	914	4	521384 169580
105	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 42.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A18NW (N)	930	4	522020 170543
106	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 35.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A18NW (N)	930	4	522020 170543
107	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 84.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A18NW (N)	931	4	522135 170574
108	<p>OS Water Network Lines</p> <p>Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 31.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames</p>	A18NW (N)	941	4	522143 170585

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
109	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 313.1 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NE (N)	942	4	522363 170600
110	OS Water Network Lines Watercourse Name: Pyl Brook Watercourse Form: Inland river Watercourse Length: 186.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8SE (S)	948	4	522356 168670
111	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NE (N)	951	4	522322 170610
112	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 20.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NE (N)	951	4	522322 170610
113	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 59.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NE (N)	952	4	522318 170611
114	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 50.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NE (N)	952	4	522318 170611
115	OS Water Network Lines Watercourse Name: Pyl Brook Watercourse Form: Inland river Watercourse Length: 127.5 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8SE (S)	956	4	522374 168663
116	OS Water Network Lines Watercourse Name: Beverley Brook Watercourse Form: Inland river Watercourse Length: 690.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A8SW (S)	961	4	522190 168664
117	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 121.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A7SE (SW)	964	4	521821 168786

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
118	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 45.0 Watercourse Level: Underground Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	964	4	522261 170622
119	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 42.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	967	4	522192 170619
120	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 33.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	969	4	522174 170618
121	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 71.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	969	4	522174 170618
122	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 40.1 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A12NW (W)	970	4	521328 169682
123	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 142.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	970	4	521996 170577
124	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 2.1 Watercourse Level: Underground Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	970	4	521996 170578
125	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 90.8 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A9SW (SE)	971	4	522818 168785
126	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Lake Watercourse Length: 8.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	971	4	521998 170579

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
127	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 60.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	971	4	522012 170583
128	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 1.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	971	4	522011 170583
129	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 15.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NE (N)	972	4	522628 170578
130	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 1.2 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	972	4	522010 170583
131	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 109.6 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	972	4	522010 170583
132	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	972	4	522009 170584
133	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 56.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	972	4	522133 170615
134	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	972	4	522133 170615
135	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 2.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	972	4	522138 170616

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
136	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 30.9 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	972	4	522141 170617
137	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 22.3 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NW (N)	982	4	522077 170614
138	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 21.4 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A18NE (N)	986	4	522626 170593
139	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 32.7 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A19NW (N)	991	4	522647 170592
140	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 76.0 Watercourse Level: On ground surface Primacy: 1 Permanent: True Catchment Name: Thames	A19NW (N)	991	4	522648 170591
141	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 36.9 Watercourse Level: On ground surface Primacy: 2 Permanent: True Catchment Name: Thames	A18NW (N)	991	4	522056 170617
142	OS Water Network Lines Watercourse Name: Not Supplied Watercourse Form: Inland river Watercourse Length: 120.2 Watercourse Level: Not Supplied Primacy: 1 Permanent: True Catchment Name: Thames	A12NW (W)	992	4	521309 169717
143	OS Water Network Nodes Hydrnode Outlet Category:	A13SE (E)	6	4	522325 169631
144	OS Water Network Nodes Hydrnode Pseudo Category:	A13NW (N)	139	4	522300 169797
145	OS Water Network Nodes Hydrnode Pseudo Category:	A13NW (N)	146	4	522300 169804
146	OS Water Network Nodes Hydrnode Source Category:	A13NW (N)	207	4	522304 169866
147	OS Water Network Nodes Hydrnode Outlet Category:	A13NW (N)	216	4	522264 169871

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
148	OS Water Network Nodes Hydronode Source Category:	A13NE (N)	245	4	522343 169902
149	OS Water Network Nodes Hydronode Junction Category:	A12SE (W)	368	4	521944 169519
150	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (SW)	370	4	521957 169480
151	OS Water Network Nodes Hydronode Pseudo Category:	A13SW (SW)	384	4	521980 169408
152	OS Water Network Nodes Hydronode Junction Category:	A12SE (SW)	477	4	521864 169423
153	OS Water Network Nodes Hydronode Junction Category:	A12NE (W)	486	4	521847 169809
154	OS Water Network Nodes Hydronode Source Category:	A12NE (W)	493	4	521839 169807
155	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (W)	501	4	521825 169455
156	OS Water Network Nodes Hydronode Source Category:	A12SE (SW)	517	4	521860 169347
157	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (SW)	520	4	521855 169350
158	OS Water Network Nodes Hydronode Junction Category:	A12NE (NW)	525	4	521833 169879
159	OS Water Network Nodes Hydronode Source Category:	A12NE (W)	532	4	521774 169719
160	OS Water Network Nodes Hydronode Pseudo Category:	A12NE (W)	533	4	521773 169721
161	OS Water Network Nodes Hydronode Junction Category:	A12NE (W)	534	4	521771 169718
162	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (W)	536	4	521781 169477
163	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (SW)	537	4	521825 169368
164	OS Water Network Nodes Hydronode Junction Category:	A12SE (SW)	538	4	521823 169369
165	OS Water Network Nodes Hydronode Pseudo Category:	A8NW (SW)	543	4	521978 169186
166	OS Water Network Nodes Hydronode Pseudo Category:	A8NW (SW)	544	4	521978 169184
167	OS Water Network Nodes Hydronode Source Category:	A8NW (S)	546	4	522156 169095

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
168	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (SW)	547	4	521817 169362
169	OS Water Network Nodes Hydronode Source Category:	A12SE (W)	550	4	521766 169483
170	OS Water Network Nodes Hydronode Pseudo Category:	A12NE (NW)	561	4	521822 169936
171	OS Water Network Nodes Hydronode Junction Category:	A12SE (W)	571	4	521732 169542
172	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (W)	579	4	521727 169522
173	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (W)	580	4	521727 169520
174	OS Water Network Nodes Hydronode Junction Category:	A8NW (SW)	582	4	521996 169126
175	OS Water Network Nodes Hydronode Pseudo Category:	A8NW (SW)	589	4	521995 169119
176	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (W)	596	4	521733 169431
177	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (W)	602	4	521736 169405
178	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (SW)	602	4	521779 169317
179	OS Water Network Nodes Hydronode Outlet Category:	A8NW (S)	610	4	522167 169026
180	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (W)	614	4	521705 169459
181	OS Water Network Nodes Hydronode Source Category:	A12SE (SW)	614	4	521728 169395
182	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (W)	615	4	521685 169560
183	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (W)	618	4	521683 169561
184	OS Water Network Nodes Hydronode Junction Category:	A12SE (W)	619	4	521698 169467
185	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (W)	622	4	521696 169465
186	OS Water Network Nodes Hydronode Pseudo Category:	A12SE (W)	623	4	521695 169464
187	OS Water Network Nodes Hydronode Junction Category:	A7NE (SW)	625	4	521937 169114

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
188	OS Water Network Nodes Hydronode Source Category:	A7NE (SW)	630	4	521946 169102
189	OS Water Network Nodes Hydronode Source Category:	A7NE (SW)	630	4	521934 169110
190	OS Water Network Nodes Hydronode Source Category:	A12SE (W)	631	4	521666 169613
191	OS Water Network Nodes Hydronode Pseudo Category:	A8NW (S)	633	4	522131 169013
192	OS Water Network Nodes Hydronode Junction Category:	A7NE (SW)	645	4	521968 169069
193	OS Water Network Nodes Hydronode Junction Category:	A8NW (SW)	648	4	521985 169056
194	OS Water Network Nodes Hydronode Outlet Category:	A8NW (SW)	648	4	521975 169062
195	OS Water Network Nodes Hydronode Source Category:	A7NE (SW)	648	4	521947 169079
196	OS Water Network Nodes Hydronode Source Category:	A7NE (SW)	649	4	521948 169077
197	OS Water Network Nodes Hydronode Junction Category:	A12SE (W)	653	4	521645 169578
198	OS Water Network Nodes Hydronode Outlet Category:	A7NE (SW)	658	4	521751 169258
199	OS Water Network Nodes Hydronode Junction Category:	A7NE (SW)	662	4	521955 169058
200	OS Water Network Nodes Hydronode Pseudo Category:	A8NW (SW)	663	4	522017 169023
201	OS Water Network Nodes Hydronode Pseudo Category:	A8NW (SW)	663	4	522015 169024
202	OS Water Network Nodes Hydronode Outlet Category:	A8NW (S)	674	4	522047 168999
203	OS Water Network Nodes Hydronode Junction Category:	A7NE (SW)	674	4	521960 169040
204	OS Water Network Nodes Hydronode Pseudo Category:	A7NE (SW)	685	4	521753 169209
205	OS Water Network Nodes Hydronode Pseudo Category:	A7NE (SW)	685	4	521755 169205
206	OS Water Network Nodes Hydronode Junction Category:	A7NE (SW)	687	4	521716 169258
207	OS Water Network Nodes Hydronode Pseudo Category:	A7NE (SW)	687	4	521717 169256

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
208	OS Water Network Nodes Hydronode Source Category:	A7NE (SW)	696	4	521890 169060
209	OS Water Network Nodes Hydronode Junction Category:	A12SW (W)	699	4	521606 169521
210	OS Water Network Nodes Hydronode Outlet Category:	A7NE (SW)	699	4	521972 169005
211	OS Water Network Nodes Hydronode Source Category:	A7NE (SW)	699	4	521829 169105
212	OS Water Network Nodes Hydronode Junction Category:	A7NE (SW)	701	4	521910 169040
213	OS Water Network Nodes Hydronode Pseudo Category:	A8SW (S)	702	4	522136 168938
214	OS Water Network Nodes Hydronode Source Category:	A12SW (W)	703	4	521602 169517
215	OS Water Network Nodes Hydronode Junction Category:	A7NE (SW)	703	4	521702 169249
216	OS Water Network Nodes Hydronode Pseudo Category:	A7NE (SW)	704	4	521703 169246
217	OS Water Network Nodes Hydronode Source Category:	A7NE (SW)	704	4	521737 169197
218	OS Water Network Nodes Hydronode Source Category:	A7NE (SW)	705	4	521701 169249
219	OS Water Network Nodes Hydronode Pseudo Category:	A12SW (W)	713	4	521624 169388
220	OS Water Network Nodes Hydronode Pseudo Category:	A12SW (W)	714	4	521623 169387
221	OS Water Network Nodes Hydronode Outlet Category:	A7NE (SW)	724	4	521970 168978
222	OS Water Network Nodes Hydronode Source Category:	A7NE (SW)	735	4	521851 169040
223	OS Water Network Nodes Hydronode Junction Category:	A12SW (W)	743	4	521570 169473
224	OS Water Network Nodes Hydronode Source Category:	A12SW (W)	744	4	521569 169472
225	OS Water Network Nodes Hydronode Junction Category:	A8SW (S)	748	4	522150 168888
226	OS Water Network Nodes Hydronode Junction Category:	A12NW (W)	748	4	521550 169665
227	OS Water Network Nodes Hydronode Source Category:	A12NW (W)	749	4	521549 169667

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
228	OS Water Network Nodes Hydronode Pseudo Category:	A8SW (SW)	750	4	521982 168944
229	OS Water Network Nodes Hydronode Pseudo Category:	A8SW (SW)	754	4	521982 168940
230	OS Water Network Nodes Hydronode Junction Category:	A12SW (W)	774	4	521536 169481
231	OS Water Network Nodes Hydronode Junction Category:	A12SW (W)	776	4	521531 169502
232	OS Water Network Nodes Hydronode Source Category:	A8SW (SW)	779	4	521981 168913
233	OS Water Network Nodes Hydronode Source Category:	A18NW (N)	820	4	522275 170479
234	OS Water Network Nodes Hydronode Pseudo Category:	A18NW (N)	822	4	522232 170477
235	OS Water Network Nodes Hydronode Outlet Category:	A12SW (W)	834	4	521483 169442
236	OS Water Network Nodes Hydronode Junction Category:	A12SW (W)	843	4	521471 169459
237	OS Water Network Nodes Hydronode Pseudo Category:	A18NW (N)	854	4	522041 170469
238	OS Water Network Nodes Hydronode Pseudo Category:	A12SW (W)	856	4	521454 169478
239	OS Water Network Nodes Hydronode Pseudo Category:	A12SW (W)	858	4	521451 169481
240	OS Water Network Nodes Hydronode Source Category:	A9SW (SE)	864	4	522855 168939
241	OS Water Network Nodes Hydronode Pseudo Category:	A12SW (W)	874	4	521432 169502
242	OS Water Network Nodes Hydronode Outlet Category:	A9SW (SE)	889	4	522872 168921
243	OS Water Network Nodes Hydronode Source Category:	A17NE (NW)	900	4	521735 170351
244	OS Water Network Nodes Hydronode Outlet Category:	A9SW (SE)	906	4	522878 168903
245	OS Water Network Nodes Hydronode Pseudo Category:	A12SW (W)	907	4	521392 169566
246	OS Water Network Nodes Hydronode Source Category:	A9SW (SE)	912	4	522878 168896
247	OS Water Network Nodes Hydronode Pseudo Category:	A12SW (W)	914	4	521384 169580

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
248	OS Water Network Nodes Hydronode Source Category:	A18NW (N)	917	4	522247 170574
249	OS Water Network Nodes Hydronode Junction Category:	A18NW (N)	930	4	522020 170543
250	OS Water Network Nodes Hydronode Source Category:	A18NW (N)	931	4	522135 170574
251	OS Water Network Nodes Hydronode Source Category:	A18NW (N)	936	4	522052 170559
252	OS Water Network Nodes Hydronode Source Category:	A18NW (N)	941	4	522143 170585
253	OS Water Network Nodes Hydronode Junction Category:	A18NE (N)	951	4	522322 170610
254	OS Water Network Nodes Hydronode Junction Category:	A18NE (N)	952	4	522318 170611
255	OS Water Network Nodes Hydronode Source Category:	A18NE (N)	954	4	522342 170613
256	OS Water Network Nodes Hydronode Pseudo Category:	A8SE (S)	956	4	522374 168663
257	OS Water Network Nodes Hydronode Junction Category:	A8SW (S)	961	4	522190 168664
258	OS Water Network Nodes Hydronode Pseudo Category:	A7SE (SW)	964	4	521821 168786
259	OS Water Network Nodes Hydronode Pseudo Category:	A18NW (N)	964	4	522261 170622
260	OS Water Network Nodes Hydronode Pseudo Category:	A18NW (N)	968	4	522216 170623
261	OS Water Network Nodes Hydronode Junction Category:	A18NW (N)	969	4	522174 170618
262	OS Water Network Nodes Hydronode Pseudo Category:	A18NW (N)	970	4	521996 170578
263	OS Water Network Nodes Hydronode Pseudo Category:	A12NW (W)	970	4	521328 169682
264	OS Water Network Nodes Hydronode Source Category:	A9SW (SE)	971	4	522818 168785
265	OS Water Network Nodes Hydronode Pseudo Category:	A18NW (N)	971	4	521998 170579
266	OS Water Network Nodes Hydronode Pseudo Category:	A18NW (N)	971	4	522011 170583
267	OS Water Network Nodes Hydronode Source Category:	A18NE (N)	972	4	522628 170578

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
268	OS Water Network Nodes Hydronode Junction Category:	A18NW (N)	972	4	522010 170583
269	OS Water Network Nodes Hydronode Pseudo Category:	A18NW (N)	972	4	522009 170584
270	OS Water Network Nodes Hydronode Pseudo Category:	A18NW (N)	972	4	522133 170615
271	OS Water Network Nodes Hydronode Junction Category:	A18NW (N)	972	4	522138 170616
272	OS Water Network Nodes Hydronode Junction Category:	A18NW (N)	972	4	522141 170617
273	OS Water Network Nodes Hydronode Pseudo Category:	A18NW (N)	974	4	522004 170584
274	OS Water Network Nodes Hydronode Pseudo Category:	A18NW (N)	982	4	522077 170614
275	OS Water Network Nodes Hydronode Junction Category:	A18NE (N)	986	4	522626 170593
276	OS Water Network Nodes Hydronode Junction Category:	A19NW (N)	991	4	522647 170592
277	OS Water Network Nodes Hydronode Junction Category:	A18NW (N)	991	4	522056 170617
278	OS Water Network Nodes Hydronode Pseudo Category:	A12NW (W)	992	4	521309 169717

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
279	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 1st March 1937 Flood Event End Date: 30th March 1937	A12NE (W)	336	1	521963 169663
280	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12NE (W)	343	1	521960 169688
281	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A13SW (SW)	355	1	522093 169334
282	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12SE (SW)	433	1	521925 169403
283	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12SE (W)	448	1	521858 169537
284	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12NE (W)	474	1	521849 169780
285	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8NW (SW)	505	1	521975 169236
286	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12NE (W)	511	1	521788 169675
287	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12NE (W)	524	1	521775 169675

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
288	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12NE (NW)	526	1	521833 169880
289	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12NE (W)	536	1	521772 169730
290	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8NW (SW)	543	1	521992 169175
291	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12NE (NW)	558	1	521825 169935
292	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12SE (W)	574	1	521732 169525
293	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12SE (W)	581	1	521725 169523
294	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12SE (W)	603	1	521713 169475
295	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8NW (S)	606	1	522125 169042
296	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12SE (W)	648	1	521675 169443

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
297	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8NW (S)	663	1	522136 168979
298	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8NW (S)	668	1	522136 168974
299	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8NW (S)	670	1	522125 168975
300	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8SW (S)	712	1	522149 168925
301	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12SW (W)	714	1	521625 169384
302	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A17SE (NW)	716	1	521817 170178
303	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12SW (W)	717	1	521625 169375
304	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8SW (S)	741	1	522153 168895
305	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A12SW (W)	775	1	521575 169341

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
306	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8SW (S)	788	1	522170 168843
307	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A17NE (NW)	836	1	521804 170325
308	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8SE (S)	889	1	522499 168747
309	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A17NE (NW)	894	1	521775 170375
310	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8SE (S)	902	1	522525 168740
311	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A9SW (SE)	953	1	522856 168830
312	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A8SE (S)	957	1	522374 168662
313	Historic Flood Events Flood Event Type: Historic Flood Event - Fluvial Flooding Cause: Channel Capacity Exceeded (no raised defences) Source: Environment Agency, Head Office Flood Event Start Date: 14th September 1968 Flood Event End Date: 19th September 1968	A17NE (NW)	990	1	521749 170475

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (W)	336	1	521963 169663
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (W)	347	1	521950 169636
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A13SW (SW)	355	1	522093 169334
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (W)	359	1	521938 169600
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (W)	359	1	521962 169494
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (W)	362	1	521956 169501
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (W)	362	1	521957 169500
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A13SW (SW)	366	1	521982 169438
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (SW)	373	1	521953 169482
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (W)	373	1	521939 169517
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (W)	376	1	521929 169550
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (SW)	377	1	521963 169450
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (W)	385	1	521913 169600
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A13SW (SW)	391	1	521977 169400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8NW (SW)	410	1	522130 169250
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A13SW (SW)	415	1	521986 169350
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (SW)	431	1	521929 169400
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8NW (SW)	463	1	522108 169202
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (W)	497	1	521800 169636
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (NW)	511	1	521836 169851
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (NW)	526	1	521833 169880
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (NW)	528	1	521830 169879
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (W)	530	1	521775 169716
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (W)	536	1	521770 169719
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (W)	536	1	521772 169730
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (W)	537	1	521775 169750
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (NW)	538	1	521858 169952
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (W)	539	1	521761 169677

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (NW)	539	1	521831 169907
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (NW)	541	1	521848 169942
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (W)	547	1	521750 169636
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (NW)	552	1	521827 169927
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (NW)	553	1	521853 169972
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (W)	571	1	521731 169550
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12NE (NW)	574	1	521815 169950
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	585	1	521858 170032
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SE (SW)	591	1	521750 169400
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8NW (S)	603	1	522111 169050
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A7NE (SW)	624	1	521808 169237
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	637	1	521850 170100
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	639	1	521798 170042
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	673	1	521796 170094

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SW (S)	684	1	522125 168960
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	706	1	521798 170147
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SW (S)	708	1	522194 168920
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	723	1	521803 170175
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SW (S)	730	1	522178 168900
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SW (S)	731	1	522143 168907
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	743	1	521808 170208
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	768	1	521811 170243
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A12SW (W)	786	1	521567 169334
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	804	1	521805 170286
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SW (S)	806	1	522050 168857
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SE (S)	811	1	522350 168807
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	817	1	521803 170300
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17SE (NW)	823	1	521800 170305

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SW (S)	845	1	522100 168800
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SE (S)	859	1	522511 168780
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	859	1	521800 170350
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SW (S)	883	1	522150 168750
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SE (S)	886	1	522350 168732
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	891	1	521744 170347
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SE (S)	891	1	522450 168736
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	899	1	521772 170380
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A17NE (NW)	901	1	521772 170382
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A9SW (SE)	940	1	522858 168847
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SE (S)	941	1	522359 168677
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SE (S)	950	1	522358 168668
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A8SE (S)	957	1	522374 168662
	Risk of Flooding from Rivers and Sea (RoFRS) Flood Risk Assessment: High - Greater than or equal to 1 in 30 (3.3%) chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office	A7NW (W)	958	1	521400 169289

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	<p>Risk of Flooding from Rivers and Sea (RoFRS)</p> <p>Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office</p>	A7NW (W)	964	1	521392 169292
	<p>Risk of Flooding from Rivers and Sea (RoFRS)</p> <p>Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office</p>	A8SW (S)	965	1	522194 168660
	<p>Risk of Flooding from Rivers and Sea (RoFRS)</p> <p>Flood Risk: Medium - Less than 1 in 30 (3.3%) but greater than or equal to 1 in 100 (1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office</p>	A17NE (NW)	972	1	521745 170450
	<p>Risk of Flooding from Rivers and Sea (RoFRS)</p> <p>Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office</p>	A8SE (S)	978	1	522400 168643
	<p>Risk of Flooding from Rivers and Sea (RoFRS)</p> <p>Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office</p>	A8SW (S)	990	1	522150 168642
	<p>Risk of Flooding from Rivers and Sea (RoFRS)</p> <p>Flood Risk: Low - Less than 1 in 100 (1%) but greater than or equal to 1 in 1,000 (0.1%) Assessment: chance in any given year Suitability Scale: County to Town Source: Environment Agency, Head Office</p>	A7NW (W)	994	1	521362 169287








Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Postcode Sector Flood Insurance Claim Ratings Insurance Rating: Very Low Flood Insurance Claim Rating - No Recorded Claims Postcode Sector: SW20 0	A13SE (SW)	0	2	522310 169636

EA / NRW / CEH Flood Data	Version	Update Cycle
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	August 2023	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	August 2023	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	August 2023	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	Quarterly
EA / NRW Surface Water Flood Data	Version	Update Cycle
Surface Water 1 in 30 year Flood Depth Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Depth Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Depth Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 30 year Flood Velocity Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Velocity Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Velocity Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 30 year Flood Flow Direction 25m Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Flow Direction 25m Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Flow Direction 25m Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 30 year Flood Hazard Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Hazard Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Hazard Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually

JBA Flood Data	Version	Update Cycle
JBA 75 Year Return (undefended) - Pluvial JBA Risk Management Limited	November 2022	As notified
JBA 75 Year Return (undefended) - Fluvial JBA Risk Management Limited	November 2022	As notified
JBA 75 Year Return (undefended) - Coastal JBA Risk Management Limited	November 2022	As notified
JBA 100 Year Return (undefended) - Fluvial JBA Risk Management Limited	November 2022	As notified
JBA 100 Year Return (undefended) - Coastal JBA Risk Management Limited	November 2022	As notified
JBA 200 Year Return (undefended) - Pluvial JBA Risk Management Limited	November 2022	As notified
JBA 200 Year Return (undefended) - Fluvial JBA Risk Management Limited	November 2022	As notified
JBA 200 Year Return (undefended) - Coastal JBA Risk Management Limited	November 2022	As notified
JBA 1000 Year Return (undefended) - Pluvial JBA Risk Management Limited	November 2022	As notified
JBA 1000 Year Return (undefended) - Fluvial JBA Risk Management Limited	November 2022	As notified
JBA 1000 Year Return (undefended) - Coastal JBA Risk Management Limited	November 2022	As notified
JBA Canal Failure JBA Risk Management Limited	November 2022	As notified
JBA Dam Break JBA Risk Management Limited	November 2022	As notified
BGS Flood Data	Version	Update Cycle
BGS Geological Indicators of Flooding British Geological Survey - National Geoscience Information Service	October 2013	As notified
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
GeoSmart Information Groundwater Flooding Data	Version	Update Cycle
GeoSmart Information Groundwater Flood Risk GeoSmart Information Ltd	October 2020	As notified
OS Water Network Data	Version	Update Cycle
OS Water Network Lines Ordnance Survey	October 2023	Quarterly
OS Water Network Nodes Ordnance Survey	October 2023	Quarterly
EA/NRW Historic Flood Events Data	Version	Update Cycle
Historic Flood Events Environment Agency - Head Office	February 2023	Quarterly
Historical Flood Liabilities Landmark Information Group Limited	December 1999	Not Applicable

EA/NRW Risk of Flooding from Rivers and Sea (RoFRS)	Version	Update Cycle
RoFRS - Risk of Flooding from Rivers and Sea Environment Agency - Head Office	September 2023	Annually
Flood Insurance Risk Data	Version	Update Cycle
Postcode Sector Flood Insurance Claim Ratings Crawford and Company	March 2023	

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Natural Resources Wales	
Centre for Ecology and Hydrology	 <p>Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL</p>
British Geological Survey	 <p>British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL</p>
GeoSmart Information	
JBA Risk Management	

Contact	Name and Address	Contact Details
1	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
2	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9966 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk
3	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409

Copyright Notice

© Landmark Information Group Limited 2023 The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.

A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and/or other Data providers, whose Copyright material has been included in this Report.

JBA Flood Data Information

Flood data provided by JBA Risk Management Limited. © Copyright JBA Risk Management Limited 2008-2023.

All JBA flood data is the property of JBA Risk Management Limited and must not be copied or used other than as authorised in writing by JBA Risk Management Limited. The user shall not (save only as may be permitted by law and not otherwise) copy, reproduce, resell, record, adapt, modify, reformat, reverse compile them in whole or in part, or do any other such act which may affect JBA Risk Management Limited's rights or interests therein.

Natural Resources Wales Copyright

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2023. Land & Property Services © Crown copyright and database right.

EANRW Flood Data Map (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Flood Data


- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Contours (height in metres)

- Standard Contour 105 MLW Mean Low Water
- Master Contour 100 MHW Mean High Water
- Spot Height 167.8



EANRW Flood Data Map - Slice A



Order Details

Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW

**JBA 75 Year Return Flood Map (Undeferred)
(1:10,000)**

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


Modelled Flood Depth

Pluvial Depth	Fluvial Depth	Coastal Depth
0.1m	0.01m - 0.05m	0.01m - 0.05m
0.1m - 0.3m	0.05m - 0.1m	0.05m - 0.1m
0.3m - 1m	0.1m - 0.3m	0.1m - 0.3m
>1m	0.3m - 1m	0.3m - 1m
	>1m	>1m

Contours (height in metres)

- Standard Contour 105
- Master Contour 100
- Spot Height 167.8
- MLW Mean Low Water
- MHW Mean High Water

**JBA 75 Year Return Flood Map (Undeferred) -
Slice A**




Order Details

Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW



521000 521500 522000 522500 523000 523500



JBA 100 Year Return Flood Map (Undefended) (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


Modelled Flood Depth

Fluvial Depth	Coastal Depth
0.01m - 0.05m	0.01m - 0.05m
0.05m - 0.1m	0.05m - 0.1m
0.1m - 0.3m	0.1m - 0.3m
0.3m - 1m	0.3m - 1m
>1m	>1m

Contours (height in metres)

- Standard Contour 105 100 95 MLW Mean Low Water
- Master Contour 100 95 MHW Mean High Water
- Spot Height 167.8

JBA 100 Year Return Flood Map (Undefended) - Slice A



Order Details


Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW




Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432. Flood data provided by JBA Risk Management Limited. © Copyright JBA Risk Management Limited 2008-2023

A1 A2 A3 A4 A5

521000 521500 522000 522500 523000 523500



Geotechnical & Environmental Consultants

JBA 200 Year Return Flood Map (Un defended) (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


Modelled Flood Depth

Pluvial Depth	Fluvial Depth	Coastal Depth
0.1m	0.01m - 0.05m	0.01m - 0.05m
0.1m - 0.3m	0.05m - 0.1m	0.05m - 0.1m
0.3m - 1m	0.1m - 0.3m	0.1m - 0.3m
>1m	0.3m - 1m	0.3m - 1m
	>1m	>1m

Contours (height in metres)

- Standard Contour
- Master Contour
- Spot Height
- MLW - Mean Low Water
- MHW - Mean High Water

JBA 200 Year Return Flood Map (Un defended) - Slice A



Order Details

Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

© Crown Copyright. All Rights Reserved. License Number 100022432. Flood data provided by JBA Risk Management Limited. © Copyright JBA Risk Management Limited 2008-2023

**JBA 1000 Year Return Flood Map (Undefended)
(1:10,000)**

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


Modelled Flood Depth

Pluvial Depth	Fluvial Depth	Coastal Depth
0.1m	0.01m - 0.05m	0.01m - 0.05m
0.1m - 0.3m	0.05m - 0.1m	0.05m - 0.1m
0.3m - 1m	0.1m - 0.3m	0.1m - 0.3m
>1m swatch"/> >1m	0.3m - 1m	0.3m - 1m
	>1m swatch"/> >1m	>1m swatch"/> >1m

Contours (height in metres)

- Standard Contour 105
- Master Contour 100
- Spot Height 167.8
- Mean Low Water
- Mean High Water

**JBA 1000 Year Return Flood Map (Undefended) -
Slice A**




Order Details

Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW



JBA Canal Failure Map (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Flood Data


- Canal Failure
- Coverage

Contours (height in metres)

- Standard Contour 105 MLW Mean Low Water
- Master Contour 100 MHW Mean High Water
- Spot Height 167.8



JBA Canal Failure Flood Map - Slice A



Order Details

Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW

© Crown Copyright. All Rights Reserved. License Number 100022432. Flood data provided by JBA Risk Management Limited. © Copyright JBA Risk Management Limited 2008-2023




Geotechnical & Environmental Consultants

E/ANRW Surface Water 30 Year Return Depth Map (1:10,000)

General
 Specified Site Specified Buffer(s) Bearing Reference Point

Surface Water Depth




Contours (height in metres)



Suitability



E/ANRW Suitability Map - Slice A



Order Details

Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Geotechnical & Environmental Consultants

E/ANRW Surface Water 100 Year Return Depth Map

General
 Specified Site (pink triangle) Specified Buffer(s) (purple circles) Bearing Reference Point (X)

Surface Water Depth

- 0 - 0.15m
- 0.15 - 0.30m
- 0.30 - 0.60m
- 0.60 - 0.90m
- 0.90 - 1.20m
- > 1.20m


Contours (height in metres)

- Standard Contour (grey line)
- Master Contour (thick grey line)
- Spot Height (red text: 167.8)
- MLW (blue line) Mean Low Water
- MHW (blue line) Mean High Water

Suitability

- National to county (light green)
- County to town (orange)
- Town to street (blue)
- Street to parcels of land (pink)
- Property (yellow)

E/ANRW Suitability Map - Slice A



Order Details


Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk




Geotechnical & Environmental Consultants

E/ANRW Surface Water 1000 Year Return Depth Map (1:10,000)

General
 Specified Site Specified Buffer(s) Bearing Reference Point

Surface Water Depth



Contours (height in metres)




Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

E/ANRW Suitability Map - Slice A



Order Details

Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW




Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk


E/ANRW Surface Water 30 Year Return Velocity and Flow Direction Map (1:10,000)

General
 Specified Site Specified Buffer(s) Bearing Reference Point

Surface Water Velocity and Direction




Contours (height in metres)



Suitability



E/ANRW Suitability Map - Slice A




Order Details


Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW



521000 521500 522000 522500 523000 523500



Geotechnical & Environmental Consultants

E/ANRW Surface Water 100 Year Return Velocity and Flow Direction Map (1:10,000)

General
 Specified Site (pink triangle) Specified Buffer(s) (purple circles) Bearing Reference Point (X)

Surface Water Velocity and Direction

0.00 - 0.25m/s	↑ Flow Direction at maximum velocity
0.25 - 0.50m/s	
0.50 - 1.00m/s	
1.00 - 2.00m/s	
> 2.00m/s	

Contours (height in metres)


Standard Contour: 105, 100, 95
 Master Contour: 105, 100, 95
 Spot Height: *167.8

MLW Mean Low Water
 MHW Mean High Water

Suitability
 See the suitability map below

National to county	Street to parcels of land
County to town	Property
Town to street	

E/ANRW Suitability Map - Slice A




Order Details
 Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details
 260, Coombe Lane, LONDON, SW20 0RW



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

© Crown Copyright. All Rights Reserved. License Number 100022432.



Geotechnical & Environmental Consultants


E/NRW Surface Water 1000 Year Return Velocity and Flow Direction Map (1:10,000)

General
 Specified Site (pink triangle) Specified Buffer(s) (purple circles) Bearing Reference Point (X)

Surface Water Velocity and Direction




Contours (height in metres)



Suitability



E/NRW Suitability Map - Slice A



Order Details


Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Geotechnical & Environmental Consultants


E/ANRW Surface Water 30 Year Return Hazard Rating Map (1:10,000)

- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
- Surface Water Hazard Rating**
- Low (0.5 – 0.75)
 - Moderate (0.75 – 1.25)
 - Significant (1.25 – 2.0)
 - Extreme (>2.0)

- Contours (height in metres)**
- Standard Contour
 - Master Contour
 - Spot Height: 167.8
 - MLW: Mean Low Water
 - MHW: Mean High Water

- Suitability**
- See the suitability map below
- National to county
 - County to town
 - Town to street
 - Street to parcels of land
 - Property

E/ANRW Suitability Map - Slice A




Order Details

Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW

Landmark INFORMATION GROUP
 Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



Geotechnical & Environmental Consultants

E/ANRW Surface Water 100 Year Return Hazard Rating Map (1:10,000)

General
 Specified Site Specified Buffer(s) Bearing Reference Point

Surface Water Hazard Rating

- Low (0.5 – 0.75)
- Moderate (0.75 – 1.25)
- Significant (1.25 – 2.0)
- Extreme (>2.0)


Contours (height in metres)

- Standard Contour
- Master Contour
- Spot Height
- MLW Mean Low Water
- MHW Mean High Water

Suitability

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

E/ANRW Suitability Map - Slice A



Order Details

Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000


Site Details

260, Coombe Lane, LONDON, SW20 0RW



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

521000 521500 522000 522500 523000 523500



Geotechnical & Environmental Consultants

E/ANRW Surface Water 1000 Year Return Hazard Rating Map (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Surface Water Hazard Rating

- Low (0.5 – 0.75)
- Moderate (0.75 – 1.25)
- Significant (1.25 – 2.0)
- Extreme (>2.0)


Contours (height in metres)

- Standard Contour
- Master Contour
- Spot Height
- MLW Mean Low Water
- MHW Mean High Water

Suitability

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

E/ANRW Suitability Map - Slice A



Order Details

Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

OS Water Network Lines Map (1:10,000)

General

- Specified Site
- Specified Buffer(s)
- × Bearing Reference Point


OS Water Network Data

- | | |
|--------------|-------------------------|
| Canal | Drain |
| Reservoir | Other |
| Foreshore | Lake |
| Marsh | Transfer |
| Tidal River | Lock Or Flight Of Locks |
| Inland River | Sea |
| Junction | Source |
| Outlet | Other |
| Pseudo | |

Contours (height in meters)

- Standard Contour 105 Mean Low Water
- Master Contour 100 Mean High Water
- Spot Height 167.3

OS Water Network Map - Slice A



Order Details

Order Number: 328378136_1_1
 Customer Ref: 21173
 National Grid Reference: 522310, 169640
 Slice: A
 Site Area (Ha): 0.06
 Search Buffer (m): 1000

Site Details

260, Coombe Lane, LONDON, SW20 0RW

